

CATALOG

20
20



RAKORD®


HOSE COUPLINGS IMPORT AND DISTRIBUTION

01-RAKLOK



Materials available:

SS316	HS code 73072910
ALU A 356 T6	HS code 76090000
MS C85700	HS code 74122000
PP	HS code 39174000
reinforced with 25% to 30% fiberglass	



Male/BSP/Female


RAKLOK A adapter with female thread, available in BSPP and NPT

INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	004100	0.02	004140	0.07	004120	0.07	004112	0.02
1/2"-3/4"	DN 13 x DN19			004139	-			004131	-
3/4"	DN19	004101	0.04	004141	0.11	004121	0.11	004132	0.02
1"	DN25	004102	0.05	004142	0.15	004122	0.15	004133	0.03
1 1/4"	DN32	004103	0.09	004143	0.24	004123	0.21	004113	0.05
1 1/4" - 1 1/2"	DN32 X DN38							004134	-
1 1/2"	DN38	004104	0.11	004144	0.32	004124	0.29	004135	0.07
2"	DN50	004105	0.15	004145	0.42	004125	0.35	004136	0.09
2 1/2"	DN63	004106	0.24	004146	0.71	004126	0.72	004114	0.125
3"	DN75	004107	0.27	004147	0.73	004127	0.73	004137	0.21
4"	DN100	004108	0.58	004148	1.42	004128	1.48	004138	0.38
5"	DN125	004109	0.84	004149	1.92	004129	1.79		
6"	DN150	004110	0.92	004150	3.17				
8"	DN200	004111	2.31						



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000
PP	HS code 39174000
reinforced with 25% to 30% fiberglass	



Male/BSP/Female


RAKLOK B coupler with male thread, available in BSPT and NPT

INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	004200	0.17	004240	0.12	004220	0.07	004212	0.07
1/2"-3/4"	DN 13 x DN19			004239	-			004231	-
3/4"	DN19	004201	0.21	004241	0.21	004221	0.11	004232	0.08
1"	DN25	004202	0.32	004242	0.29	004222	0.16	004233	0.11
1 1/4"	DN32	004203	0.45	004243	0.47	004223	0.27	004213	0.21
1 1/4" - 1 1/2"	DN32 X DN38							004234	-
1 1/2"	DN38	004204	0.52	004244	0.54	004224	0.31	004235	0.21
2"	DN50	004205	0.64	004245	0.67	004225	0.35	004236	0.25
2 1/2"	DN63	004206	0.94	004246	1.14	004226	0.43	004214	
3"	DN75	004207	1.38	004247	1.35	004227	0.68	004237	0.31
4"	DN100	004208	1.94	004248	1.97	004228	0.92	004238	0.76
5"	DN125	004209	3.98	004249	2.98	004229	1.81		
6"	DN150	004210	3.65	004250	4.11	004230	1.78		
8"	DN200	004211	-						



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000
PP	HS code 39174000
reinforced with 25% to 30% fiberglass	



With hosietail Female


RAKLOK C coupler with hosietail

INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	004300	0.15	004340	0.13	004320		004312	0.07
1/2"-3/4"	DN 13 x DN19							004331	-
3/4"	DN19	004301	0.23	004341	0.25	004321	0.12	004332	0.08
1"	DN25	004302	0.36	004342	0.37	004322	0.17	004333	0.12
1 1/4"	DN32	004303	0.49	004343	0.59	004323	0.28	004313	0.23
1 1/4" - 1 1/2"	DN32 X DN38							004334	-
1 1/2"	DN38	004304	0.62	004344	0.7	004324	0.34	004335	0.23
2"	DN50	004305	0.77	004345	0.81	004325	0.44	004336	0.31
2 1/2"	DN63	004306	1.07	004346	1.34	004326	0.59		
3"	DN75	004307	1.58	004347	1.97	004327	0.86	004337	0.64
4"	DN100	004308	3.32	004348	3.14	004328	1.25	004338	0.91
5"	DN125	004309	4.13	004349	4.96	004329	1.68		
6"	DN150	004310	6.05	004350	6.58	004330	2.66	004339	
8"	DN200	004311	-	004351					



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000
PP	HS code 39174000
reinforced with 25% to 30% fiberglass	



Female/Female


RAKLOK D coupler with female thread

INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	004400	0.16	004440	0.13	004420	0.06	004412	0.07
1/2"-3/4"	DN 13 x DN19			004439	-	004419	-	004431	-
3/4"	DN19	004401	0.22	004441	0.23	004421	0.12	004432	0.08
1"	DN25	004402	0.32	004442	0.31	004422	0.16	004433	0.15
1 1/4"	DN32	004403	0.46	004443	0.49	004423	0.28	004413	0.21
1 1/4" - 1 1/2"	DN32 X DN38							004434	-
1 1/2"	DN38	004404	0.54	004444	0.55	004424	0.32	004435	0.23
2"	DN50	004405	0.67	004445	0.71	004425	0.36	004436	0.27
2 1/2"	DN63	004406	0.94	004446	1.01	004426	0.47	004414	0.30
3"	DN75	004407	1.41	004447	1.31	004427	0.73	004437	0.51
4"	DN100	004408	2.09	004448	2.14	004428	1.21	004438	0.75
5"	DN125	004409	2.58	004449	3.54	004429	1.41		
6"	DN150	004410	5.02	004450	4.61	004430	2.16		
8"	DN200	004411	-						



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000
PP	HS code 39174000
reinforced with 25% to 30% fiberglass	



With hosetail male


RAKLOK E adapter with hosetail

INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	004500	0.11	004540	0.07	004520	0.03	004512	0.01
1/2"-3/4"	DN 13 x DN19							004531	-
3/4"	DN19	004501	0.16	004541	0.14	004521	0.05	004532	0.03
1"	DN25	004502	0.24	004542	0.25	004522	0.09	004533	0.04
1 1/4"	DN32	004503	0.33	004543	0.37	004523	0.12	004513	0.07
1 1/4" - 1 1/2"	DN32 X DN38							004534	-
1 1/2"	DN38	004504	0.44	004544	0.56	004524	0.19	004535	0.09
2"	DN50	004505	0.73	004545	0.85	004525	0.28	004536	0.15
2 1/2"	DN63	004506	0.96	004546	1.17	004526	0.45	004514	
3"	DN75	004507	1.25	004547	1.73	004527	0.66	004537	0.35
4"	DN100	004508	1.91	004548	2.86	004528	1.13	004538	0.65
5"	DN125	004509	4.54	004549	4.05	004529	1.48		
6"	DN150	004510	5.07	004550	5.64	004530	2.21	004539	
8"	DN200	004511	-	004551					



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000
PP	HS code 39174000
reinforced with 25% to 30% fiberglass	



BSPT Male/Male


RAKLOK F coupler with male thread

INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	004600	0.09	004640	0.09	004620	0.03	004612	0.02
1/2"-3/4"	DN 13 x DN19			004639	-			004631	-
3/4"	DN19	004601	0.15	004641	0.16	004621	0.07	004632	0.03
1"	DN25	004602	0.23	004642	0.26	004622	0.09	004633	0.05
1 1/4"	DN32	004603	0.31	004643	0.4	004623	0.12	004613	0.08
1 1/4" - 1 1/2"	DN32 X DN38							004634	-
1 1/2"	DN38	004604	0.35	004644	0.52	004624	0.18		
2"	DN50	004605	0.51	004645	0.69	004625	0.26		
2 1/2"	DN63	004606	0.8	004646	0.98	004626	0.36	004635	-
3"	DN75	004607	0.94	004647	1.42	004627	0.51	004636	0.21
4"	DN100	004608	1.71	004648	2.52	004628	0.92	004637	0.52
5"	DN125	004609	3.32	004649	3.79	004629	1.34	004638	-
6"	DN150	004610	3.78	004650	5.38	004630	1.44		
8"	DN200	004611	-						



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000
PP reinforced with 25% to 30% fiberglass	HS code 39174000



Male dustcap


RAKLOK DP male dustcap

INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	004700	0.07	004740	0.06	004720	0.02	004731	0.01
1/2"-3/4"	DN 13 x DN19								
3/4"	DN19	004701	0.09	004741	0.08	004721	0.03	004732	0.02
1"	DN25	004702	0.13	004742	0.13	004722	0.05	004733	0.02
1 1/4"	DN32	004703	0.21	004743	0.25	004723	0.07	004734	0.04
1 1/4" - 1 1/2"	DN32 X DN38								
1 1/2"	DN38	004704	0.24	004744	0.32	004724	0.12	004735	0.05
2"	DN50	004705	0.41	004745	0.46	004725	0.16	004736	0.08
2 1/2"	DN63	004706	0.59	004746	0.67	004726	0.22		
3"	DN75	004707	0.72	004747	0.93	004727	0.28	004737	0.22
4"	DN100	004708	1.03	004748	1.59	004728	0.51	004738	0.26
5"	DN125	004709	1.61	004749	1.91	004729	0.55		
6"	DN150	004710	1.81	004750	3.84	004730	0.74		
8"	DN200	004711	-						



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000
PP reinforced with 25% to 30% fiberglass	HS code 39174000



Female dustcap

RAKLOK DC female dustcap

INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	004800	0.12	004840	0.13	004820	0.05	004831	0.02
1/2"-3/4"	DN 13 x DN19								
3/4"	DN19	004801	0.13	004841	0.18	004821	0.11	004832	0.07
1"	DN25	004802	0.27	004842	0.25	004122	0.14	004833	0.11
1 1/4"	DN32	004803	0.41	004843	0.43	004123	0.24	004834	0.21
1 1/4" - 1 1/2"	DN32 X DN38								
1 1/2"	DN38	004804	0.48	004844	0.51	004824	0.27	004835	0.22
2"	DN50	004805	0.61	004845	0.76	004825	0.33	004836	0.31
2 1/2"	DN63	004806	0.77	004846	0.84	004826	0.41	004814	0.24
3"	DN75	004807	1.21	004847	1.01	004827	0.65	004837	0.42
4"	DN100	004808	1.87	004848	1.73	004828	0.92	004838	0.67
5"	DN125	004809	2.11	004849	2.74	004829	1.16		
6"	DN150	004810	3.72	004850	4.28	004730	1.78		
8"	DN200	004811	-						



Materials available:

SS316


HS code 73072910

ALU A356 T6

HS code 76090000

MS C85700

HS code 74122000



Male/Female

RAKLOK DIN A

adapter with female thread, available in BSPP with a teflon thread gasket in SS316 and PU for ALU and MS

INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	D04100	0.07	D04140	0.07				
3/4"	DN19	D04101	0.11	D04141	0.11	D04121	0.04		
1"	DN25	D04102	0.15	D04142	0.15	D04122	0.05		
1 1/4"	DN32	D04103	0.21	D04143	0.24	D04123	0.09		
1 1/2"	DN38	D04104	0.29	D04144	0.32	D04124	0.11		
2"	DN50	D04105	0.35	D04145	0.42	D04125	0.15		
2 1/2"	DN63	D04106	0.72	D04146	0.71				
3"	DN75	D04107	0.73	D04147	0.73				
4"	DN100	D04108	1.18	D04148	1.42				



Materials available:

SS316


HS code 73072910

ALU A356 T6

HS code 76090000

MS C85700

HS code 74122000



Female

RAKLOK DIN D

coupler with female thread, available in BSPT with a teflon thread gasket in SS316 and PU for ALU and MS

INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	D04400	0.16	D04440	0.13				
3/4"	DN19	D04401	0.22	D04441	0.23	D04421	0.12		
1"	DN25	D04402	0.32	D04442	0.31	D04422	0.16		
1 1/4"	DN32	D04403	0.46	D04443	0.49	D04423	0.28		
1 1/2"	DN38	D04404	0.54	D04444	0.55	D04424	0.32		
2"	DN50	D04405	0.67	D04445	0.71	D04425	0.36		
2 1/2"	DN63	D04406	0.94	D04446	1.01				
3"	DN75	D04407	1.41	D04447	1.31				
4"	DN100	D04408	2.09	D04448	2.14				




Materials available:

SS316

HS code 73072910

MS C85700

HS code 74122000



With hositail female

RAKLOK DIN C

coupler with hositail, with a teflon thread gasket in SS316 and PU for ALU and MS

INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
3/4"	DN19			D04341	0.24				
1"	DN25			D04342	0.35				
1 1/4"	DN32			D04343	0.59				
1 1/2"	DN38			D04344	0.68				
2"	DN50			D04345	0.91	D04325	-		
2 1/2"	DN63			D04346	1.24				
3"	DN75			D04347	1.57				
4"	DN100			D04348	2.59	D04328	-		




Materials available:

SS316

HS code 73072910

MS C85700

HS code 74122000



Male with hositail

reinforced with 25% to 30% fiberglass

RAKLOK DIN E

adapter with hositail


INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
3/4"	DN19			D04541	0.13				
1"	DN25			D04542	0.21				
1 1/4"	DN32			D04543	0.33				
1 1/2"	DN38			D04544	0.45				
2"	DN50			D04545	0.58	D04525	0.66		
2 1/2"	DN63			D04546	0.96				
3"	DN75			D04547	1.16				
4"	DN100			D04548	2.26	D04528	2.69		



Materials available:

SS316

HS code 73072910



Female/BSPT/Male

RAKSAFELOK B coupler with male thread, available in BSPT and NPT


INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
3/4"	DN19			007201	0.11				
1"	DN25			007202	0.24				
1 1/4"	DN32			007203	0.38				
1 1/2"	DN38			007204	0.42				
2"	DN50			007205	0.61				
2 1/2"	DN63			007206	0.76				
3"	DN75			007207	1.17				
4"	DN100			007208	1.63				



Materials available:

SS316

HS code 73072910



Female with hosetail

RAKSAFELOK C coupler with hosetail

INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	D04400	0.16	D04440	0.13				
3/4"	DN19	D04401	0.22	D04441	0.23	D04421	0.12		
1"	DN25	D04402	0.32	D04442	0.31	D04422	0.16		
1 1/4"	DN32	D04403	0.46	D04443	0.49	D04423	0.28		
1 1/2"	DN38	D04404	0.54	D04444	0.55	D04424	0.32		
2"	DN50	D04405	0.67	D04445	0.71	D04425	0.36		
2 1/2"	DN63	D04406	0.94	D04446	1.01				
3"	DN75	D04407	1.41	D04447	1.31				
4"	DN100	D04408	2.09	D04448	2.14				




Materials available:

SS316

HS code 73072910

Tambien disponibles con la normativa DIN



Female/BSPP Female

RAKSAFELOK D coupler with female thread


INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
3/4"	DN19			007401	0.13				
1"	DN25			007402	0.25				
1 1/4"	DN32			007403	0.37				
1 1/2"	DN38			007404	0.45				
2"	DN50			007405	0.65				
2 1/2"	DN63			007406	0.76				
3"	DN75			007407	1.06				
4"	DN100			007408	1.64				



Materials available:

SS316

HS code 73072910



Female dustcap

RAKSAFELOK DC female dustcap


INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
3/4"	DN19			007801	0.08				
1"	DN25			007802	0.19				
1 1/4"	DN32			007803	0.31				
1 1/2"	DN38			007804	0.36				
2"	DN50			007805	0.49				
2 1/2"	DN63			007806	0.58				
3"	DN75			007807	0.87				
4"	DN100			007808	1.28				



Materials available:

SS316

HS code 73072910



Handles + Ring

RAKSAFELOK Handles for Raksafelok


INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
3/4"	DN19			000389	0.02				
1"	DN25			000390	0.03				
1 1/4"	DN32			000391	0.07				
1 1/2"	DN38								
2"	DN50								
2 1/2"	DN63								
3"	DN75			000392	0.12				
4"	DN100								



Materials available:

SS316

HS code 73072910



Pin

RAKSAFELOK Pin for Raksafelok


INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
3/4"	DN19			000385	0.04				
1"	DN25								
1 1/4"	DN32			000386	0.06				
1 1/2"	DN38			000387	0.08				
2"	DN50								
2 1/2"	DN63								
3"	DN75			000388	0.14				
4"	DN100								



Materials available:

SS316

HS code 73072910



Female/hosetail for welding

RAKLOK FOR WELDING DW with 30° angle welding


INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13			008006	0.12				
3/4"	DN19			008007	0.21				
1"	DN25			008008	0.29				
1 1/4"	DN32			008009	0.47				
1 1/2"	DN38			008010	0.54				
2"	DN50			008011	0.67				
2 1/2"	DN63			008012	1.14				
3"	DN75			008013	1.35				
4"	DN100			008014	1.97				
5"	DN125			008015	2.98				
6"	DN150			008016	4.11				



Materials available:

SS316

HS code 73072910



Male/Male for welding

RAKLOK FOR WELDING DW with 30° angle welding


INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13			008018	0.09				
3/4"	DN19			008019	0.16				
1"	DN25			008020	0.26				
1 1/4"	DN32			008021	0.4				
1 1/2"	DN38			008022	0.52				
2"	DN50			008023	0.69				
2 1/2"	DN63			008024	0.98				
3"	DN75			008025	1.42				
4"	DN100			008026	2.52				
5"	DN125			008027	3.79				
6"	DN150			008028	5.38				



Materials available:

SS316

HS code 73072910



Flange adapter

RAKLOK FLA Raklok Flanged Adapter


INCH	DN	SS316 PN10/16		SS316 LBS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
*	DN20	FA4141		FA4241					
*	DN25	FA4142	2.01	FA4242	2.01				
*	DN40	FA4144	4.1	FA4244	4.1				
*	DN50	FA4145	5.94	FA4245	5.94				
*	DN65	FA4146	7.11	FA4246	7.11				
*	DN80	FA4147	8.19	FA4247	8.19				
*	DN100	FA4148	13.51	FA4248	13.51				
*	DN125	FA4149	-	FA4249	-				
*	DN150	FA4150	22.62	FA4250	22.62				



Materials available:

SS316

HS code 73072910



Flange coupler

RAKLOK FLB Flanged Coupler


INCH	DN	SS316 PN10/16		SS316 LBS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
*	DN20	FB4241	-						
*	DN25	FB4242	3.4						
*	DN40	FB4244	4.1						
*	DN50	FB4245	4.76						
*	DN65	FB4246	-						
*	DN80	FB4247	8.2						
*	DN100	FB4248	15.15						
*	DN125	FB4249	-						
*	DN150	FB4250	26.79						



Materials available:

ALU A356 T6

HS code 76090000



RAKLOK Vapour Recovery


INCH	TYPE	ALU		SS316					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
*	D 4" x 3"	004912	0.84						
*	D 3" x 3"	004913	0.75						
*	C 3" x 3"	004914	1.04						
*	C 4" x 4"	004915	1.54						
*	C 4" x 3"	004917	2.23						



Materials available:

ALU A356 T6

HS code 76090000



RAKLOK reductions


INCH	TYPE	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
*	C 3" x 2"	004916	1.64						
*									
*	B 3" x 4"	0004919	1.11						
*	F 4" x 3"	0004918	0.78						
*									
*	D 3" x 2"	004910	0.68						
*	D 4" x 3"	004911	0.78						
*									
*	D 4" x A 3"	004940	1,51						
*	D 3" x A 2"	004922	0,61						



Materials available:

ALU A356 T6

HS code 76090000



Spool adapters

RAKLOK Spool adapters

INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
*	AA 3"	004920	1.59						
*	AA 4"	004921	2.41						



Materials available:

NBR

HS code 40169300

VITON

HS code 40169300

SILICONE

HS code 40169300

HYPALON

HS code 40169300

RAKLOK Gaskets/Juntas

INCH	DN	NBR		VITON		SILICONE		HYPALON		TEFLON-ESTR.	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	000400	0.002	000411	0.003	000422	0.002	000433	0.002	000530	-
3/4"	DN19	000401	0.004	000412	0.006	000423	0.003	000434	0.003	000531	-
1"	DN25	000402	0.005	000413	0.008	000424	0.004	000435	0.006	000532	-
1 1/4"	DN32	000403	0.007	000414	0.011	000425	0.006	000436	0.008	000533	-
1 1/2"	DN38	000404	0.009	000415	0.014	000426	0.007	000437	0.011	000534	-
2"	DN50	000405	0.012	000416	0.017	000427	0.009	000438	0.013	000535	-
2 1/2"	DN63	000406	0.018	000417	0.025	000428	0.012	000439	0.021	000536	-
3"	DN75	000407	0.021	000418	0.031	000429	0.017	000440	0.023	000537	-
4"	DN100	000408	0.032	000419	0.045	000430	0.022	000441	0.036	000538	-
5"	DN125	000409	0.045	000420	0.064	000431	0.032	000442	0.051	000539	-
6"	DN150	000410	0.059	000421	0.084	000432	0.042	000443	0.066	000540	-



Materials available:

TEFLON+VITON	HS code 40169300
TEFLON+EPDM	HS code 40169300
TEFLON+NBR	HS code 40169300
EPDM	HS code 40169300

RAKLOK Gaskets

INCH	DN	TEFLON + VITON		TEFLON + EPDM		TEFLON + NBR		EPDM		VITON GREEN	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	000466	0.003	000360	0.002	000455	0.002	000444	0.002	GR0411	0.003
3/4"	DN19	000467	0.006	000361	0.005	000456	0.005	000445	0.004	GR0412	0.006
1"	DN25	000468	0.008	000362	0.007	000457	0.006	000435	0.005	GR0413	0.008
1 1/4"	DN32	000469	0.011	000363	0.009	000458	0.008	000436	0.007	GR0414	0.011
1 1/2"	DN38	000470	0.014	000364	0.011	000459	0.11	000437	0.009	GR0415	0.014
2"	DN50	000471	0.016	000365	0.013	000460	0.13	000438	0.012	GR0416	0.017
2 1/2"	DN63	000472	0.024	000366	0.021	000461	0.021	000439	0.018	GR0417	0.025
3"	DN75	000473	0.029	000367	0.023	000462	0.023	000440	0.021	GR0418	0.031
4"	DN100	000474	0.043	000368	0.034	000463	0.034	000441	0.032	GR0419	0.045
5"	DN125	000475	-	000369	-	000464	-	000442	0.039	GR0420	0.064
6"	DN150	000476	-	000370	-	000465	-	000443	0.044	GR0421	0.084



Materials available:

CRS - FEP/SILICON	HS code 40169300
CRW - FEP/SILICON	HS code 40169300
CVB - FEP/SILICON	HS code 40169300

Encapsulated Gaskets

RAKFEP Gaskets

INCH	DN	CSR - FEP/SILICONE		CSW - FEP/SILICONE		CVB - FEP/SILICONE		Ref.	Weight/Gr.
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.		
1/2"	DN13	000100	0,003	000111	0,003	000122	0,006		
3/4"	DN19	000101	0,006	000112	0,006	000123	0,012		
1"	DN25	000102	0,07	000113	0,07	000124	0,14		
1 1/4"	DN32	000103	0,09	000114	0,09	000125	0,18		
1 1/2"	DN38	000104	0,11	000115	0,11	000126	0,22		
2"	DN50	000105	0,13	000116	0,13	000127	0,26		
2 1/2"	DN63	000106	0,21	000117	0,21	000128	0,42		
3"	DN75	000107	0,23	000118	0,23	000129	0,46		
4"	DN100	000108	0,34	000119	0,34	000130	0,68		
5"	DN125	000109	-	000120	-	000131	-		
6"	DN150	000110	-	000121	-	000132	-		




Materials available:

SS316

MS C85700

HS code 73072910

HS code 74122000



Handles

RAKLOK Handle

INCH	DN	SS316		MS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr	Ref.	Weight/Gr.
1/2"	DN13	000477	0.18						
3/4"	DN19								
1"	DN25	000479	0.28	000487	0.16				
1 1/4"	DN32	000480	0.67	000488	0.58				
1 1/2"	DN38								
2"	DN50								
2 1/2"	DN63								
3"	DN75	000482	1.25	000490	0.66				
4"	DN100								
5"	DN125								
6"	DN150								
8"	DN200	000483	-						




Materials available:

SS316

ST

HS code 73072910

HS code 73071990



Ring

RAKLOK Rings


INCH	DN	SS316		ST					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr	Ref.	Weight/Gr.
1/2"	DN13	000493	0.03	000491					
3/4"	DN19								
1"	DN25								
1 1/4"	DN32	000496	0.07						
1 1/2"	DN38								
2"	DN50								
2 1/2"	DN63								
3"	DN75								
4"	DN100	000498	0.08						
5"	DN125								
6"	DN150								
8"	DN200	000499	0.09						



Materials available:

SS316

73072910



Pin

RAKLOK Pin

INCH	DN	ALU		SS316		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13								
3/4"	DN19			000501	0.04				
1"	DN25								
1 1/4"	DN32			000503	0.06				
1 1/2"	DN38			000504	0.08				
2"	DN50								
2 1/2"	DN63								
3"	DN75			000507	0.14				
4"	DN100								
5"	DN125								
6"	DN150			000508	0.16				




Materials available:

SS316

HS code 73072910

ST

HS code 73071990



Safety Pin

RAKLOK Safety Pin

INCH	DN	SS316		ST					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	000394	0.06	000396	0.06				
3/4"	DN19								
1"	DN25								
1 1/4"	DN32	000395	0.08	000397	0.08				
1 1/2"	DN38								
2"	DN50								
2 1/2"	DN63								
3"	DN75								
4"	DN100								
5"	DN125								
6"	DN150								




Materials available:

SS316

HS code 73072910

ST

HS code 73071990



Chain

RAKLOK 30cm chain

INCH	DN	SS316		ST							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	000349	0.12	000350	0.12						
3/4"	DN19										
1"	DN25										
1 1/4"	DN32										
1 1/2"	DN38										
2"	DN50										
2 1/2"	DN63										
3"	DN75										
4"	DN100										
5"	DN125										
6"	DN150										




Materials available:

SS316

HS code 73072910

ST

HS code 73071990



Safety cable

RAKLOK Safety cable

INCH	DN	SS316		ST					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	000215	0.25	000217	0.21				
3/4"	DN19								
1"	DN25								
1 1/4"	DN32								
1 1/2"	DN38	000216	1.24	000218	1.06				
2"	DN50								
2 1/2"	DN63								
3"	DN75								


02-STORZ / BARCELONA



Materials available:

ALU A356 T6

HS code 76090000



For hose: delivery

STORZ D for hose: delivery

SIZE	LUG	Hose tail mm.	ALU CASTING		NORM	ALU FORGED		MS	
			Ref.	Weight/Gr.		Ref.	Weight/Gr.	Ref.	Weight/Gr.
25D	31	42	003100	0.11					
42C	66	55	003101	0.38	DIN14332				
52C	66	55	003102	0.36	DIN14302	002002	-		
65	81	60	003103	0.51					
75B	89	60	003104	0.71	DIN14303	002007	-		
110A	133	103	003105	1.06	DIN14323				



Materials available:

ALU A356 T6


HS code 76090000

SS316

HS code 73072910

MS

HS code 74122000



For Hose: Delivery and suction

STORZ DS for hose: delivery and suction

SIZE	LUG	Ø Hose tail	Long Hose tail mm.	ALU CASTING		ALU FORGED		SS316		MS	
				Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
25D	31	20	53	003199	0.09	002010	0.09			003120	-
25D	31	25	53	003200	0.09	002011	0.09	003140	0.26		
38	52	38	90	003201	0.22						
45	59	45	72	003202	0.37						
52C	66	25	90	003207	0.37	002021					
52C	66	32	90	003206	0.37	002023					
52C	66	38	90	003205	0.37	002024					
52C	66	45	90	003211	0.37	002027					
52C	66	52	90	003203	0.37	002029	0.37	003142	0.95	003121	1.06
65	81	52	95	-	-	002033	0.53	-	-	-	-
65	81	65	95	-	-	002034	0.53	-	-	003122	2
65	81	75	95	-	-	002035	0.53	-	-	-	-
75B	89	75	125	003208	0.71	002039	0.71	003145	-		
110A	133	90	170	003204	1.15	002044	1.15				
110A	133	100	170	003209	1.77	002045	1.77	003146	-		
110A	133	110	170	003210	1.66	002046	1.66	003147	4.25		



Materials available:

ALU A356 T6


HS code 76090000

SS316

HS code 73072910

MS

HS code 74122000



Female thread

STORZ DS Female Thread

SIZE	LUG	Thread	ALU		SS316		MS		MS	
			Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
25D	31	G1/2"							003321	
25D	31	G3/4"	003300	0.09	002050	0.09			003320	
25D	31	G1"	003301	0.09	002052	0.09	003340	0.21	003322	0.23
25D	31	G2"			002054				003323	
32	44	G1"							003324	0.39
32	44	G1 1/4"							003325	
38	51	G1"							003326	
38	51	G1 1/4"							003327	
38	51	G1 1/2"	003302	0.15	002059	0.15			003328	0.44
38	51	G2"			002060	0.18			003329	
45	59	G1 1/2"							003330	
45	59	G2"							003331	
52C	66	G1"	003305	0.28	002064	0.28	003341		003332	
52C	66	G1 1/4"	003303	0.30	002066	0.30			003334	
52C	66	G1 1/2"	003306	0.28	002067	0.28			003335	
52C	66	G2"	003307	0.28	002065	0.28	003342	0.77	003333	0.8
52C	66	G2 1/2"	003308	0.28	002068	0.28			003336	
65	81	G1 1/2"			002072	0.38				
65	81	G2"			002070	0.41			003337	
65	81	G2 1/2"	003309	0.38	002073	0.41			003338	1.12
65	81	G3"			002074	0.41			003339	
75B	89	G2"			002075	0.41			003350	
75B	89	G2 1/2"	003310	0.42	002076	0.42	003344		003351	
75B	89	G3"	003311	0.42	002077	0.45	003345	1.26	003352	1.5
100	115	G4"	003314	0.85						
110	133	G4"	003312	0.85	002080	0.85	003346	3.25	003353	3.77
110	133	G4 1/2"	003316	1.09	002081	1.09			003354	3.77
125	148	G5"	003313							



Materials available:

ALU A356 T6


HS code 73090000

SS316

HS code 76072910

MS

HS code 74122000



Male Thread

STORZ DS Male thread

SIZE	LUG	Thread	ALU		SS316		MS		MS	
			Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
25D	31	G1/2"							003425	
25D	31	G3/4"	003397	0.07	002085				003426	
25D	31	G1"	003400	0.07	002087		003440		003420	
38	52	G1 1/2"	003401	0.12						
52C	66	G1"	003412	0.14	002095					
52C	66	G1 1/4"	003411		002097				003427	
52C	66	G1 1/2"	003402	0.25	002098				003428	
52C	66	G2"	003403	0.21	002096		003441		003421	
52C	66	G2 1/2"			002099					
65	81	G2"	003404	0.36	002100					
65	81	G1 1/2"			002102					
65	81	G2 1/2"	003405	0.38	002103				003422	
65	81	G3"			002104					
75B	89	2"	003410		002105					
75B	89	G2 1/2"	003406	0.36	002106		003442		003423	
75B	89	G3"	003407	0.33	002107		003443		003424	
110	133	G4"	003408	1.01	002109		003444			
125	148	G5"	003409	-						



Materials available:

ALU A356 T6


HS code 73090000

SS316

HS code 76072910

MS

HS code 74122000



Dustcap

STORZ dustcap


TYPE	LUG	ALU Casting		ALU Forged		SS316		MS	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
25D	31	003500	0.09	002111	0.09	003541	0.25		
45	59	003501	0.3						
52C	66	003502	0.38	002115	0.38	003542	0.88	003619	0.92
65	81	003503	0.46	002116	0.46			003620	1.27
75B	89	003504	0.56	002117	0.56	003544	1.34	003621	1.46
110A	133	003505	1.34	002120	1.34	003545	3.65		3.73
Hydrant									
	52	003506	0.38						
	75	003507	0.49						
	100	003508	1.23						



Materials available:

ALU A356 T6

HS code 76090000



For Pelet Sistem

STORZ For Pelet Sistem

TYPE			ALU						Ref.
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	
110A			P03505	0.56					




Materials available:

ALU A356 T6

HS code 76090000

SS316

HS code 73072910



Reduction

STORZ Storz Reduction

TYPE	ALU Casting		ALU Forged		SS316		MS	
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
25D / 52C	003600	0.31	002123		003640			
52C / 75B	003601	0.61	002125		003641			
65 / 75B	003602	-						
75B / 110A	003603	1.57	002127		003642			



Materials available:

ST


HS code 73071990



Wrench

STORZ Wrench

TYPE	ST							
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
UNIVERSAL	003873	1.31						



Materials available:

NBR	HS code 40169300
SILICON	HS code 40169300
PTFE	HS code 40169300

Gaskets Black/White

STORZ Storz Gaskets for delivery

TYPE	NBR Black		NBR White		Silicon		PTFE	
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
25D	000655	0.002					000673	-
32	000656	0.004					000674	-
38	000657	0.008	000666	-	000670	-	000675	-
52C	000658	0.011					000676	-
65	000659	0.014					000677	-
75B	000660	0.038	000667	-	000671	-	000678	-
90	000661	-					000679	-
100	000662	-	000668	-	000672	-	000680	-
110A	000663	-	000669	-			000681	-
125	000664	-					000682	-
150	000665	-						



Materials available:

NBR	HS code 40169300
SILICON	HS code 40169300
PTFE	HS code 40169300

Gaskets Black/White

STORZ Gaskets for suction and delivery


TYPE	NBR black		NBR white		SILICON		EPDM	
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
25D	000600	0.003	000611	0.003	000622	-	000633	-
32	000601	-	000612	-	000623	-	000634	-
38	000602	0.011	000613	0.011	000624	-	000635	-
52C	000603	-	000614	-	000625	-	000636	-
65	000604	0.016	000615	0.016	000626	-	000637	-
75B	000605	0.043	000616	0.043	000627	-	000638	-
90	000606	-	000617	-	000628	-	000639	-
100	000607	-	000618	-	000629	-	000640	-
110A	000608	-	000619	-	000630	-	000641	-
125	000609	-	000620	-	000631	-	000642	-
150	000610	-	000621	-	000632	-	000643	-



Materials available:

ALU A356 T6

HS code 76090000



For Hose

BARCELONA for hose


TYPE	ALU die casting		ALU forged						
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.
DN25	008369	0.07	008370	0.82					
DN45	008397	0.18	008371	1.71					
DN70	008398	0.36	008372	4.38					
DN100	008399	0.49							



Materials available:

ALU A356 T6

HS code 76090000



Female forged

BARCELONA Female


TYPE	ALU Die casting		ALU Forged					
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN19			008380	-				
DN25	008365	0.64	008381	0.62				
DN45	008366	1.04	008382	1.41				
DN70	008367	2.06	008383	2.91				
DN100	008368		008384	-				



Materials available:

ALU A356 T6

HS code 76090000



Male forged

BARCELONA Male


TYPE	ALU Die casting		ALU Forged					
	Ref.	Weight/Gr.	Ref.	Weight/Gr.				
DN19			008385	-				
DN25	008357	0.68	008386	0.61				
DN45	008362	1.56	008387	1.68				
DN70	008363	3.23	008388	2.87				
DN100	008364	-						
DN45			008395	-				
DN70			008396	-				



Materials available:

ALU A356 T6

HS code 76090000



Reduction forged

BARCELONA Reduction


TYPE	ALU Die casting		ALU Forged					
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN25 x 45			008390	2.25				
DN45 x 70			008391	2.77				
DN100 x 70			008389	-				



Materials available:

ALU A356 T6

HS code 76090000



Dustcap

BARCELONA Dustcap

TYPE	ALU die casting		ALU forged						
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.
DN25	008358	1.01	008392	1.21					
DN45	008359	2.06	008393	1.81					
DN70	008360	4.05	008394	2.41					
DN100	008361	-							



Materials available:

NBR

HS code 40169300

Gaskets

BARCELONA Gasket


TYPE	NBR		NBR Thread					
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN19			000223	0.02				
DN25	000220	0,05	000224	0.04				
DN40			000225	0.07				
DN45	000221	0,15						
DN70	000222	0,27	000226	0.11				

03-GUILLEMIN



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000
PP	HS code 39174000
reinforced with 25% to 30% fiberglass	



With Hosetail


GUILLEMIN with Hosetail

TYPE	Hosetail mm	ALU		SS316		PP		MS	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight	Ref.	Weight/Gr.
DN20	25	006001	0.78	006041	0.076				
DN25	30	006002	0.121	006042	0.124				
DN32	35	006003	-	006043	-				
DN40	40	006004	0.171	006044	0.383	006064	0.13	006024	
DN40	45	006005	0.251	006045	0.316	006065	0.15		
DN50	50	006006	0.331	006046	0.93	006066	0.17	006025	
DN50	55	006007	0.381	006047	0.87	006067	0.21		
DN65	65	006008	0.411					006026	
DN65	70	006009	0.601	006049	1.05				
DN80	76	006011	0.771	006051	2.27	006071	0.42	006031	
DN80	80	006012	0.791	006052	2.28	006072	-	006032	
DN80	85	006013	-	006053	-				
DN80	90	006014	0.851	006054	2.4	006074	0.48	006034	
DN100	100	006015	1.33	006055	3.31			006035	
DN100	102	006010	1.51						
DN100	105	006018	1.31						
DN100	110	006016	1.26	006056	2.24				
DN150	152	006017	-	006057	5.3				



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000



For Composite Hose


GUILLEMIN with Hosetail for Composite Hose

TYPE	ALU		SS316		SS304		Ref.	Weight/Gr.	Ref.
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight			
DN20			006121						
DN25			006122	0.268					
DN32			006123	0.291					
DN40			006124	0.465	006124-04	-			
DN50	006115	-	006125	0.817	006125-04	-			
DN65	006116	0.622	006126	1.111	006126-04	-			
DN80	006117	0.931	006127	1.986	006127-04	-			
DN100	006118	1.416	006128	3.291	006128-04	-			



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000
PP	HS code 39174000
reinforced with 25% to 30% fiberglass	



Female with Latch


GUILLEMIN Female Thread with Latch

TYPE	ALU		SS316		PP		MS	
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN20	006201							
DN25	006202		006242					
DN32	006203		006243					
DN40	006204	0.41	006244	0.6	006234	0.14	006224	
DN50	006205	0.45	006245	0.78	006235	0.16	006225	
DN65	006206	0.47	006246	1.24			006226	
DN80 2 1/2"	006211	0,54						
DN80	006207	0.65	006247	1.65	006237	0.46	006227	
DN100	006208	1.05	006248	3.07	006238	-	006228	
DN150	006210	3.15						



Materials available:

SS316	HS code 73072910
ALU A380	HS code 76090000
MS	HS code 74122000



Female without Latch

GUILLEMIN Female Thread without Latch


TYPE	ALU		SS316				MS	
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN20	006401	0.02	006441	0.07				
DN25	006402	0.03	006442	0.08				
DN32	006403	0.09	006443	0.12				
DN40	006404	0.14	006444	0.38			006424	
DN50	006405	0.23	006445	0.41			006425	
DN65	006406	0.35	006446	0.45			006426	
DN80	006407	0.41	006447	0.75			006427	
DN 2 1/2"	006212	-						
DN100	006408	0.42	006448	0.89			006428	
DN150	6410	-						



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000
PP	HS code 39174000

reinforced with 25% to 30% fiberglass



Male thread with Latch


GUILLEMIN Male Thread with Latch

TYPE	ALU		SS316		PP		MS	
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.		
DN20	006301	0.06						
DN25	006302	0.07	006342					
DN32	006303	0.08	006343					
DN40	006304	0.16	006344	0.41	006334	0.14	006324	
DN50	006305	0.31	006345	0.65	006335	0.16	006325	
DN65	006306	0.47	006346	0.91	006339		006326	
DN80	006307	0.61	006347	1.37	006337	0.46	006327	
DN100	006308	0.87	006348	2.38	006338	-	006328	
DN150	006310	3.15						



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000



Male without Latch

GUILLEMIN Male Thread without Latch

TYPE	ALU		SS316				MS	
	Ref.	Weight/Gr.	Ref.	Weight/Gr.			Ref.	Weight/Gr.
DN20	006501	0.03						
DN25	006502	0.04						
DN32	006503	0.08						
DN40	006504	0.12	006544	0.26			006524	
DN50	006505	0.15	006545	0.46			006525	
DN65	006506	0.23	006546	0.64			006526	
DN80	006507	0.46	006547	0.96			006527	
DN100	006508	0.64	006548	1.89			006528	
DN150			006549					



Materials available:

SS316


HS code 73072910

ALU A356 T6

HS code 76090000

MS C85700


HS code 74122000



Dustcap with Latch

GUILLEMIN Dustcap with Latch

TYPE	ALU		SS316		MS		SS316 BLIND	
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN15			006640				006651	
DN20	006601	-	006641				006652	
DN25	006602	-	006642				006653	
DN32	006603	-	006643				006654	
DN40	006604	0.07	006644	0.29	006624		006655	
DN50	006605	0.24	006645	0.6	006625		006656	
DN65	006606	0.31	006646	0.76	006626		006657	
DN80	006607	0.46	006647	1.26	006627		006658	
DN100	006608	0.71	006648	1.68	006628		006659	
DN150	006610	-	006649	-			006660	



Materials available:

SS316

HS code 73072910

ALU A356 T6

HS code 76090000

PP

HS code 39174000

reinforced with 25% to 30% fiberglass



Dustcap without Latch

GUILLEMIN Dustcap without Latch


TYPE	ALU		SS316		PP		Ref.	Weight/Gr.
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.		
DN40					006634	0.05		
DN50	006705		006745	0.23	006635	0.08		
DN65								
DN80	006707		006747	0.43	006637	0.13		
DN100	006708	0.41			006638	0.18		
	Dustcap with handle							
DN50	P06705	0.11						
DN80	P06707	0.16						
DN100	P06708	0.16						



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000
PP	HS code 39417400

reinforced with 25% to 30% fiberglass



Reductions

GUILLEMIN Reduction


TYPE	ALU		SS316		PP		MS	
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
40 x 50	006904	0.42	006945					
40 x 65	006905	0.58	006944	1.66				
40 x 80	006906	0.87						
50 x 65	006902	0.66	006942	2.13				
50 x 80	006900	0.96	006940	2.05	006930	-		
65 x 80	006903	0.89	006943	3.11				
40 x 100	006907	1.13						
50 x 100	006908	1.07						
65 x 100	006909	1.23						
80 x 100	006901	1.32	006941	4.91	006931	-	006927	-



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000
PP	HS code 394174000

reinforced with 25% to 30% fiberglass



Male Thread for CX Hose

GUILLEMIN Male Thread for Composite Hose


TYPE	INCH	ALU		SS316		SS304		MS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN25	1"	006812	0.93	006852	0.24	006842	0.24			6832	
DN32	1 1/4"			006853	0.35					6833	
DN40	1 1/2"	006814	1.93	006854	0.61	006844	0.61	006134	-	6834	-
DN50	2"	006815	2.88	006855	0.85	006845	0.85	006135	-	6835	-
DN65	2 1/2"	006816	4.05	006856	-	006846	1.23	006136	-	6836	-
DN80	3"	006817	6.36	006857	1.92	006847	1.92	006137	-	6837	-
DN100	4"	006818	13.01	006858	3.01	006848	3.01	006138	-	6838	-



Materials available:

SS316	HS code 73072910
PP	HS code 39417400

reinforced with 25% to 30% fiberglass



Female Thread for CX Hose

GUILLEMIN Female Thread for Composite Hose


TYPE	INCH	SS316		PP					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN25	1"	006852GI	-	006822	-				
DN32	1 1/4"			006823	-				
DN40	1 1/2"	006854GI	-	006824	-				
DN50	2"	006855GI	-	006825	-				
DN65	2 1/2"	006856GI	-	006826	-				
DN80	3"	006857GI	-	006827	-				
DN100	4"	006858GI	-	006828	-				



Materials available:

ALU A356 T6

HS code 76090000



Male Without Ears

GUILLEMIN Male Without Ears With Latch


TYPE	INCH	ALU							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN25	1"								
DN32	1 1/4"								
DN40	1 1/2"	6394	-						
DN50	2"	6395	-						
DN65	2 1/2"	6396	-						
DN80	3"	6397	-						
DN100	4"	6398	-						



Materials available:

ALU A356 T6

HS code 76090000



Female Without Ears

GUILLEMIN Female Without Ears With Latch


TYPE	INCH	ALU							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN25	1"								
DN32	1 1/4"								
DN40	1 1/2"	6294	-						
DN50	2"	6295	-						
DN65	2 1/2"	6295	-						
DN80	3"	6297	-						
DN100	4"	6298	-						



Materials available:

ALU A356 T6

HS code 76090000



For Hose Without Ears

GUILLEMIN for Hose Without Ears With Latch

TYPE	INCH	ALU							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN25	1"								
DN32	1 1/4"								
DN40	1 1/2"								
DN50	2"	6095							
DN65	2 1/2"								
DN76	3"	6097							
DN90	3"	6098							
DN102	4"	6099							
DN110	4"	6100							



Materials available:

SS316


HS code 73072910

ALU A356 T6

HS code 76090000

ST

HS code 73071990



Ferrules for CX Hose

GUILLEMIN Ferrules for Composite Hose

DN		ALU		SS316		ST			
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN25		000202	0.43	000242	0.88	000262	0.88		
DN32		000203	0.52	000243	0.97	000263	0.97		
DN40	57 x 46 x 45	000204	0.65	000244	1.26	000264	1.26		
DN50	67 x 55 x 63	000205	0.76	000245	2.01	000265	2.1		
DN65	85 x 66 x 73	000206	0.86			000266	2.03		
DN65	83 x 68 x 73			000246	2.05				
DN75						000267	2.75		
DN75	98,5 x 85 x 76	000207	1.61						
DN75	98,5 x 86 x 85			000247	3.11				
DN100	122 x 107 x 87	000208	2,01	000248	4.21	000268	3,98		
DN150	184 x 155 x 140	000210	-						



Materials available:

NBR

HS code 40169300

VITON

HS code 40169300

Ferrule Gasket Composite

GUILLEMIN Gasket for Composite Ferrule

DN	INCH	NBR		VITON					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN25	1"	000372	0.11	000519					
DN32	1 1/4"	000373	0.12	000520					
DN40	1 1/2"	000374	0.14	000521					
DN50	2"	000375	0.23	000522					
DN65	2 1/2"	000376	0.32	000523					
DN80	3"	000377	0.44	000524					
DN100	4"	000378	0.68	000525					




Materials available:

SS316

HS code 73072910

ALU A356 T6

HS code 76090000



Female for CX Hose

GUILLEMIN Raklok type C with double spiral for hose

TYPE	INCH	ALU		SS316					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN25	1"	S04302	-	S04342	-				
DN32	1 1/4"	S04303	-	S04343	-				
DN40	1 1/2"	S04304	-	S04344	-				
DN50	2"	S04305	-	S04345	-				
DN65	2 1/2"	S04306	-	S04346	-				
DN75	3"	S04307	-	S04347	-				
DN100	4"	S04308	-	S04348	-				




Materials available:

SS316

HS code 73072910

ALU A356 T6

HS code 76090000



Male for CX Hose

GUILLEMIN Guillemmin Raklok type E with double spiral for hose

TYPE	INCH	ALU		SS316					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN25	1"	S04502	-	S04542	-				
DN32	1 1/4"	S04503	-	S04543	-				
DN40	1 1/2"	S04504	-	S04544	-				
DN50	2"	S04505	-	S04545	-				
DN65	2 1/2"	S04506	-	S04546	-				
DN75	3"	S04507	-	S04547	-				
DN100	4"	S04508	-	S04548	-				



Materials available:

SS316


HS code 73072910

ALU A356 T6

HS code 76090000

PP

HS code 39174000



Male Thread for CX Hose

GUILLEMIN Male Thread for Composite Hose with Double Spiral

DN	INCH	ALU		SS316		PP			
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN19	3/4"	S06811	-	S06851	-	S06831	-		
DN25	1"	S06812	-	S06852	-	S06832	-		
DN32	1 1/4"	S06813	-	S06853	-	S06833	-		
DN40	1 1/2"	S06814	-	S06854	-	S06834	-		
DN50	2"	S06815	-	S06855	-	S06835	-		
DN65	2 1/2"	S06816	-	S06856	-	S06836	-		
DN75	3"	S06819	-	S06859	-	S06839	-		
DN80	3"	S06817	-	S06857	-	S06837	-		
DN100	4"	S06818	-	S06858	-	S06838	-		



Materials available:

SS316


HS code 73072910

ALU A356 T6

HS code 76090000

MS C85700

HS code 74122000



Dustcap with Latch

GUILLEMIN Female for Composite Hose with Double Spiral

DN	INCH	ALU		SS316		MS		Ref.	Weight/Gr.
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.		
DN25	1"	S06802	-	S06882	-	S06822	-		
DN32	1 1/4"	S06803	-	S06883	-	S06823	-		
DN40	1 1/2"	S06804	-	S06884	-	S06824	-		
DN50	2"	S06805	-	S06885	-	S06825	-		
DN65	2 1/2"	S06806	-	S06886	-	S06826	-		
DN75	3"	S06807	-	S06887	-	S06827	-		
DN100	4"	S06808	-	S06888	-	S06828	-		



Materials available:

NBR

HS code 40169300

VITON

HS code 40169300

EDPM

HS code 40169300

TEFLON

HS code 39269097

Flat Seals

GUILLEMIN Flat Seal Gasket

TYPE	INCH	EPDM WHITE		NBR BLACK		NBR WHITE		VITON		TEFLON	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN25	1"	000276	-			000284	0.003	000312	0.01		
DN32	1 1/4"	000277	-	000303	0.02						
DN40	1 1/2"	000278	0.05	000304	0.04	000285	0.003	000314	0.06		
DN50	2"	000279	0.07	000305	0.07	000286	0.010	000315	0.09	000325	0.11
DN65	2 1/2"	000280	0.11	000306	0.11	000287	0.014			000326	0.15
DN75	3"	000281	0.15	000307	0.15	000288	0.016	000317	0.18	000327	0.21
DN100	4"	000282	0.21	000308	0.21	000289	0.020	000318	0.33	000328	0.36
DN150	6"	000283	-	000309	-	000290	-	000319	-		



Materials available:

TEFLON

HS code 39269097

Thread Gasket

GUILLEMIN Thread Gasket

TYPE	INCH	TEFLON							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN19	3/4"	005901	0.01						
DN25	1"	005902	0.02						
DN32	1 1/4"	005903	0.03						
DN38	1 1/2"	005904	0.04						
DN50	2"	005905	0.07						
DN65	2 1/2"	005906	0.11						
DN80	3"	005907	0.15						
DN100	4"	005908	0.21						




Materials available:

SS316

HS code 73072910

ST

HS code 73071990



Wrench

GUILLEMIN wrench

TYPE	ST FIXED		SS ADJUST		SS304 DOUBLE ARTICUL.			
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN 25 - 65	006995	0,250						
DN 50 - 100	006996	0,250						
DN 20 - 150 UNIVERSAL	006994	0,170						
DN 50 - 100			006998	0.37				
DN 25 - 150					7000	0.296		




Materials available:

SS316

HS code 73072910

ST

HS code 73071990



Chain

GUILLEMIN 30 cm Guillemain Chain

INCH	DN	SS316		ST					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	000349	0.12	000350	0.12				
3/4"	DN19								
1"	DN25								
1 1/4"	DN32								
1 1/2"	DN38								
2"	DN50								
2 1/2"	DN63								
3"	DN75								
4"	DN100								
5"	DN125								
6"	DN150								



Materials available:

SS316

HS code 73072910

FILTER with Male Thread

GUILLEMIN Filter

INCH	DN	SS316							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	DN13	006999	0,159						
3/4"	DN19								
1"	DN25								
1 1/4"	DN32								
1 1/2"	DN38								
2"	DN50								
2 1/2"	DN63								
3"	DN75								
4"	DN100								
5"	DN125								
6"	DN150								

04-TANKWAGEN



Materials available:

SS316


HS code 73072910

MS

HS code 74122000

ALU A356 T6

HS code 76090000



VK Male

TANKWAGEN VK Male 14420-6

TYPE	INCH	ALU		SS316		FMS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
VK 50	1 1/2"			005099	0.45	005098	0.51		
VK 50	2"			005100	0.27	005103	0.35		
VK 80	3"	005120		005101	0.67	005104	0.76		
VK 100	4"			005102	1.02	005105	1.19		



Materials available:

SS316


HS code 73072910

MS

HS code 74122000

ALU A356 T6

HS code 76090000



MK Female


TANKWAGEN MK Female 14420-6

TYPE	INCH	ALU		SS316		FMS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
MK50	1 1/2"					005097			
MK 50	2"			005110	0.22	005113	0.22		
MK 80	3"	005130		005111	0.44	005114	0.52		
MK 100	4"			005112	0.86	005115	0.89		
WITH SECURITY LOCK									
MK 50	2"			S05110	0.65				
MK 80	3"			S05111	1.33				



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000
PP reinforced with 25% to 30% fiberglass	HS code 39174000



VB Male


TANKWAGEN VB Male 14420-6

DN	INCH	ALU		SS316		FMS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
MK 50	2"	005206	0,21	005200	0,28	005203	0,31	005197	0,04
MK 80	3"	005207	0,31	005201	0,64	005204	0,73	005198	0,11
MK 100	4"	005208	0,46	005202	1,01	005205	1,09	005199	0,18



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000



MB Female

TANKWAGEN MB Female 14420-6

DN	INCH	ALU		SS316		FMS		Ref.	Weight/Gr.
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.		
MK 50	2"	005216	0,11	005210	0,27	005213	0,37		
MK 80	3"	005217	0,24	005211	0,66	005214	0,78		
MK 100	4"	005218	0,38	005212	0,97	005215	0,98		




Materials available:

SS316

HS code 73072910

MS C85700

HS code 74122000



Male with Smooth Hose Tail

TANKWAGEN Male with smooth Hose Tail 14420-6

TYPE	INCH	SS316		MS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
GA 013	1/2"			005309	-				
GA 015	1/2"	005298	0,078						
GA 019	3/4"	005299	0,138	005310	0,084				
GA 019	1"			005321	-				
GA 025	3/4"			005320	-				
GA 025	1"	005300	0,170	005311	0,119				
GA 032	1 1/4"	005301	0,265	005312	0,178				
GA 038	1 1/2"	005302	0,327	005313	-				
GA 038	DN 35			005307	-				
GA 040	1 1/2"			005308	0,231				
GA 050	2"	005303	0,501	005314	0,349				
GA 065	2 1/2"	005297	0,858	005319	0,599				
GA 075	3"	005304	1,228	005315	0,888				
GA 075	4"	005306	-						
GA 080	3"	005296	1,151	005317	0,941				
GA 100	4"	005305	2,901	005316	1,892				




Materials available:

SS316

HS code 73072910

MS C85700

HS code 74122000



Female with Smooth Hose Tail

TANKWAGEN Female with smooth Hose Tail 14420-6

TYPE	INCH	SS316		MS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
GI 013	1/2"	005398	0,051	005409	0,056				
GI 019	3/4"	005399	0,071	005410	0,078				
GI 025	1"	005400	0,095	005411	0,106				
GI 032	1 1/4"	005397	0,157	005412	0,174				
GI 032	2"			005406	-				
GI 038	1 1/2"	005401	0,235	005413	0,261				
GI 038	DN 35			005407	-				
GI 050	1 1/2"			005408	-				
GI 050	2"	005402	0,448	005414	0,498				
GI 065	2 1/2"	005420		005416	0,620				
GI 075	3"	005403	0,912	005417	1,013				
GI 080	3"			005418	-				
GI 100	4"			005419	1,456				




Materials available:

SS316

MS C85700

HS code 73072910

HS code 74122000



Male with Serrated Hose Tail

TANKWAGEN Male with Serrated Hose Tail

TYPE	INCH	SS316		MS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
GA 013	1/2"	005360	0,100	005329	0,056				
GA 019	3/4"	005361	0,153	005330	0,084				
GA 025	1"	005362	0,198	005331	0,119				
GA 032	1 1/4"	005363	0,265	005332	0,178				
GA 038	1 1/2"	005364	0,358	005333	0,231				
GA 050	2"	005365	0,500	005334	0,349				
GA 065	2 1/2"	005366	0,858	005335	0,599				
GA 075	3"	005367	1,251	005336	0,888				
GA 100	4"	005368	-	005337	1,892				
GA 035	1 1/4"			005359					




Materials available:

SS316

MS C85700

HS code 73072910

HS code 74122000



Female with Serrated Hose Tail

TANKWAGEN Female with Serrated Hose Tail

DN	INCH	SS316		MS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
GI 013	1/2"	005350	0,050	005345	0,056				
GI 019	3/4"	005351	0,070	005346	0,078				
GI 025	1"	005352	0,095	005338	0,106				
GI 032	1 1/4"	005353	0,157	005339	0,174				
GI 038	1 1/2"	005354	0,235	005340	0,261				
GI 050	2"	005355	0,448	005341	0,498				
GI 065	2 1/2"	005356	0,558	005342	0,620				
GI 075	3"	005357	0,912	005343	1,013				
GI 100	4"	005358	1,310	005344	1,456				



Materials available:

ALU A356 T6


HS code 76090000

SS316

HS code 73072910

MS C85700

HS code 74122000



Safety Clamps

TANKWAGEN Safety Clamps EN 14420-2 DIN2817


TYPE	Ø Outside Hose	ALU		SS316		MS		Ref.	Weight/Gr.
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.		
13 x 5	22-24	005509	0,11	005539	0,25				
13 x 6	23-26			005558	-				
19 x 6	30-33	005510	0,13	005540	0,31	005553	0,31		
25 x 5	34-36	005526	0,14						
25 x 6	36-39	005511	0,14	005541	0,33				
32 x 5	41-43	005525	0,16						
32 x 6	43-46	005512	0,15	005542	0,35				
32 x 8	47-50	005527	0,15						
35 x 6	47-50	005508	-						
38 x 5	47-49	005524	0,15						
38 x 6,5	50-52	005513	0,16	005543	0,38	005554	0,45		
38 x 8	53-56	005520	0,18	005555	0,45				
38 x 10	57-60	005522	0,17						
40 x 7	53-56	005523	0,18						
40 x 10	58-61			005547	-				
45 x 7	58-61								
50 x 5	59-61	005505	-						
50 x 5,5	60-62	005532	0,27						
50 x 6	61-63	005530	0,27						
50 x 8	64-67	005514	0,27	005544	0,69				
50 x 10	69-71	005531	0,33	005552	-				
63 x 6	74-77	005534	0,43	005557	0,87				
63 x 8	78-82	005515	0,43	005545	-				
65 x 7	78-82			005549	-				
65 x 10	84-87	005533	0,49						
75 x 6	86-90	005535	0,49	005556	1,18				
75 x 8	89-93	005518	0,49	005546	1,20				
75 x 10	94-97	005521	0,52						
80 x 8	94-97	005516	0,47	005550	-				
90 x 6,5	101-105	005538	1,09						
100 x 8	114-119	005517	1,15	005548	2,90				
100 x 10	118-122	005519	1,88						
100 x 14	126-130	005537	3,78						
125 x 10	143-148	005536	3,30	005551	-				
150 x 10	168-174	005528	6,50	005552	11,92				
150 x 13	174-184	005559	3,70						
200 x 12	222-229	005529	6,65						
200 x 16	230-239	005507	-						



Materials available:

ALU A356 T6

HS code 76090000



Pinned Safety Clamps

TANKWAGEN Pinned Safety Clamps EN 14420-3 DIN2817

TYPE	Ø Outside Hose	ALU							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
25 x 6	36-39	005560	0,14						
32 x 6	43-46	005561	0,15						
38 x 6,5	50-52	005562	0,15						
50 x 8	64-67	005563	0,29						
63 x 8	76-80	005564	0,43						
75 x 8	89-93	005565	0,49						
100 x 8	114-119	005566	-						



Materials available:

TEFLON

HS code 40169300


PU

HS code 39269097

Thread Gasket for SS GI

TANKWAGEN Thread Gasket for SS GI

DN	INCH	TEFLON		PU					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN19	3/4"	005901	0,01	005910	0,01				
DN25	1"	005902	0,01	005911	0,01				
DN32	1 1/4"	005903	0,02	005912	0,01				
DN38	1 1/2"	005904	0,02	005913	0,02				
DN50	2"	005905	0,03	005914	0,02				
DN65	2 1/2"	005906	0,05	005915	0,03				
DN80	3"	005907	0,08	005916	0,05				
DN100	4"	005908	0,14	005917	0,08				



Materials available:

VITON	HS code 40169300
HYPALON	HS code 40169300
EDPM	HS code 40169300
NBR	HS code 40169300

Lipseals / Flat Seals


TANKWAGEN Lipseals & Flat Seals

TYPE	INCH	TORIC NBR	NBR BLUE		VITON BLACK		EPDM BLACK		CSM GREEN	
		BLACK	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
Lip Seals MK										
DN50	2"		005605	0,11	005615	0,14	005625	0,8	005635	0,9
DN80	3"		005607	0,23	005617	0,29	005627	0,18	005637	0,22
DN100	4"	005798		0,38					005799	0,29
Flat Seals MB										
DN50	2"		005705	0,8	005715	0,11	005735	0,9		
DN80	3"		005707	0,9	005717	0,22	005737	0,18		



Materials available:

SS316	HS code 73072910
MS C85700	HS code 74122000



Reducing nipple male X male

TANKWAGEN Reducing Nipple Male X Male

SIZE	SS316		MS					
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
3/8" X 1/2"	-		005001	-				
1/2" X 3/4"	005025	0,13	005002	0,05				
3/4" X 1"	005026	0,10	005003	0,13				
1/2" X 1"	005027	-	-					
1" X 1 1/4"	005028	0,20	005004	0,20				
1" X 1 1/2"	005029	0,25	-					
1 1/4" X 1 1/2"	005030	0,24	005005	0,22				
1 1/4" X 2"	005031	0,32	005006	0,41				
1 1/2" X 2"	005032	0,32	005007	0,35				
2" X 2 1/2"	005033	0,55	005008	0,69				
2" X 3"	005034	0,54	005009	0,73				
2 1/2" X 3"	005035	0,58	005010	0,59				
3" X 4"	005036	1,24	005011	1,05				




Materials available:

SS316

MS C85700

HS Code 73072910

HS code 74122000



Nipple Male x Male

TANKWAGEN Nipple Male X Male


SIZE	SS316		MS							
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	005037	0,05	005012	0,04						
3/4"	005038	0,06	005013	0,06						
1"	005039	0,13	005014	0,14						
1 1/4"	005040	0,16	005015	0,17						
1 1/2"	005041	0,25	005016	0,23						
2"	005042	0,37	005017	0,32						
2 1/2"	005043	0,55	005018	0,56						
3"	005044	0,66	005019	0,64						
4"	005045	1,05	005020	1,03						



Materials available:

MS C85700

HS code 74122000



Reducing Nipple Male X Female

TANKWAGEN Reducing Nipple Male X Female

SIZE		MS							
Male	Female	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1 1/2"	2"	005046	0,35						
2"	1 1/2"	005047	0,23						
2"	2"	005048	-						
2"	2 1/2"	005049 *	0,42						
2"	3"	005050 *	1,17						
2 1/2"	2"	005051	0,52						
2 1/2"	2 1/2"	005052 *	-						
2 1/2"	3"	005053 *	0,72						
3"	2"	005054 *	0,41						
3"	2 1/2"	005055 *	0,57						
3"	3"	005056 *	-						
3"	4"	005057 *	1,08						
4"	3"	005058 *	0,97						


* NOT TOOL



Materials available:

MS C85700

HS code 74122000



Male / Female Gasoline

TANKWAGEN Female & Male for Gasoline Hose

TYPE		CMS							
		Ref.	Weight/Gr.						
Female for Gasoline Hose									
G 1"	15 X 5 MM	RAKF155	1,61						
G 1"	19 X 5 MM	RAKF195	1,96						
G 1"	25 X 5 MM	RAKF255	2,31						
Male for Gasoline Hose									
G 1"	15 X 5 MM	RAKM155	2,02						
G 1"	19 X 5 MM	RAKM195	2,68						
G 1"	25 X 5 MM	RAKM255	3,28						




Materials available:

RAK - 050 /080 automatic nozzles are designed to fulfil the needs of our clients. They are light and easy to use. Our nozzles are solid and offer a long life performance with a reliable service.

Materials:

Body: Aluminium
Stem: Stainless Steel
Seals: Buna-N / Viton / PU
Steam seals: Viton cased oil seal



Automatic NozzleReducciones

TANKWAGEN Automatic Nozzle RAK-050 / 080

Flow rate	Spout	Swivel	Ref.	Weight				
0-50L/min	Ø 21 MM	3/4" / 1" in BSP or NPT	RAK-050					
0-80L/min	Ø 25 MM	3/4" / 1" in BSP or NPT	RAK-080					




Materials available:

RAK-120 automatic nozzles are designed to fulfil the needs of our clients. Our heavy duty nozzles with their high flow (120L/min) are ideal for truck and bus fleet service. They are solid, light weight and easy to handle. Our nozzles offer a long life performance with a reliable service.

Materials:

Body: Aluminium
Stem: Stainless Steel
Seals: Buna-N / Viton / PU
Steam seals: Viton cased oil seal



Automatic Nozzle

TANKWAGEN Automatic Nozzle RAK-120

Flow rate	Spout	Swivel	Ref.	Weight				
0-120 L/Min	Ø 31 MM	1" in BSP (P) (T) or NPT	RAK-120					




Materials available:

ASN-060 automatic nozzles are designed to fulfil the needs of our clients. Our heavy duty nozzles with their high flow (120L/Min) are ideal for truck and bus fleet service. Our nozzles are solid, light weight and easy to handle. Our nozzles offer a long life performance with reliable service

Materials:

Body: Aluminium
Stem: Stainless Steel
Seals: Buna-N / Viton
Steam seals: Viton cased oil seal/Graphite with Teflon



Automatic NozzleReduccion

TANKWAGEN Automatic Nozzles ASN-060 / 120

Flow rate	Spout	Swivel	Ref.	Weight				
0-60L/min	Ø 24 MM	3/4" in BSP or NPT	ASN-060					
0-120L/min	Ø 33 MM	1" in BSP or NPT	ASN-120					

05-EXPRESS




Materials available:

SS316

HS code 73072910

MS C87500

HS code 74122000



For Hose

EXPRESS DIN for Hose

DN	INCH	SS316		MS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN 6	1/4"			001105	-				
DN 10	3/8"			001106	0,07				
DN 12	1/2"	001500	0,085	001107	0,07				
DN 16	5/8"			001108	0,08				
DN 19	3/4"	001501	0,093	001109	0,08				
DN 25	1"	001502	0,100	001110	0,10				
DN 32	1 1/4"	001503	0,130	001111	0,14				
DN 40	1 1/2"			001112	0,18				




Materials available:

SS316

HS code 73072910

MS C87500

HS code 74122000



Female

EXPRESS DIN Female

DN	INCH	SS316		MS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN 6	1/4"			001113	-				
DN 10	3/8"			001114	0,07				
DN 12	1/2"	001510	0,085	001115	0,07				
DN 16	5/8"								
DN 19	3/4"	001511	0,095	001116	0,08				
DN 25	1"	001512	0,100	001117	0,08				
DN 32	1 1/4"	001513	0,134	001118	0,11				
DN 40	1 1/2"			001119	0,13				




Materials available:

SS316

MS C87500

HS Code 73072910

HS code 74122000



Male

EXPRESS DIN Male

DN	INCH	SS316		MS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN 6	1/4"			001120	-				
DN 10	3/8"			001121	0,07				
DN 12	1/2"	001520	0,085	001122	0,07				
DN 16	5/8"								
DN 19	3/4"	001521	0,093	001123	0,07				
DN 25	1"	001522	0,100	001124	0,08				
DN 32	1 1/4"	001523	0,126	001125	0,10				
DN 40	1 1/2"			001126	0,14				



Materials available:

SS316


MS

NBR

HS code 73072910

HS code 74122000

HS code 40169300



Dustcap / Gasket

EXPRESS DIN Dustcap / Gasket


DN	INCH	SS316		MS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
UNIVERSAL CAP		001533	0,84	001127	0,72				
		NBR							
UNIVERSAL		001128	0,04						



Materials available:

ZPL

HS code 73071990



Claw Clamps

EXPRESS DIN Claw Clamps


TYPE	Ext.Ø	ZPL							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
18	16-18	001129	-						
20	19-21	001130	0,04						
23	22-24	001131	0,04						
26	25-27	001132	0,06						
29	28-30	001133	0,06						
32	31-33	001134	0,08						
36	34-36	001135	0,13						
38	37-39	001136	0,15						



Materials available:

MS C87500

HS code 74122000



For Hose

FRENCH EXPRESS for Hose


INCH	Hose Ø	MS							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/4"	6-8 mm	001068	-						
1/4"	8-10 mm	001069	-						
3/8"	9-11 mm	001070	0,102						
3/8"	11-13 mm	001071	-						
1/2"	13-15 mm	001072	0,103						
1/2"	16-18 mm	001073	-						
3/4"	19-21 mm	001074	0,293						
1"	22-24 mm	001075	0,136						
1 1/4"	25-27 mm	001076	0,151						



Materials available:

MS C87500

HS code 74122000



Female

FRENCH EXPRESS Female


DN	INCH	MS							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN 6	1/4"	001078	0,097						
DN 10	3/8"	001079	0,097						
DN 12	1/2"	001080	0,102						
DN 16	5/8"	001081	-						
DN 19	3/4"	001082	0,110						
DN 25	1"	001083	0,105						
DN 32	1 1/4"	001084	0,159						
DN 40	1 1/2"	001085	-						



Materials available:

MS C87500

HS code 74122000



Male

FRENCH EXPRESS Male

DN	INCH	MS							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN 6	1/4"	001086	0,094						
DN 10	3/8"	001087	0,107						
DN 12	1/2"	001088	0,097						
DN 16	5/8"	001089	-						
DN 19	3/4"	001090	0,104						
DN 25	1"	001091	0,119						
DN 32	1 1/4"	001092	0,183						
DN 40	1 1/2"	001093	-						




Materials available:

MS C87500

HS code 74122000

NBR

HS code 40169300



Dustcap / Gasket

FRENCH EXPRESS Dustcap / Gasket


DN	INCH	MS							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
UNIVERSAL CAP		0001094	0,098						
		NBR							
UNIVERSAL GASKET		001095	0,04						



Materials available:

ZPL

HS code 73071990



Claw Clamps

FRENCH EXPRESS Claw Clamps

TYPE	Ext.Ø	ZPL							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
18	16-18	001129	-						
20	19-21	001130	0,04						
23	22-24	001131	0,04						
26	25-27	001132	0,06						
29	28-30	001133	0,06						
32	31-33	001134	0,08						
36	34-36	001135	0,13						
38	37-39	001136	0,15						




Materials available:

SS316

HS code 73072910

CST

HS code 73071990



For Hose with Safety Collar

EXPRESS EU AIR for Hose with Safety Collar


DN	INCH	SS316		MS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN 6	3/8"	001220SS	-	001196	0,183				
DN 10	1/2"	001221SS	0,151	001197	0,180				
DN 12	3/4"	001222SS	0,168	001198	0,200				
DN 16	1"	001223SS	0,175	001199	0,230				
DN 19	1 1/4"	001224SS	-						



Materials available:

CST

HS code 73071990



For Hose

EXPRESS EU AIR for Hose

DN	INCH	CST							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN 6	3/8"	001200	0,159						
DN 10	1/2"	001201	0,149						
DN 12	3/4"	001202	0,163						
DN 16	1"	001203	0,194						
DN 19	1 1/4"	001204	0,214						




Materials available:

SS316

HS code 73072910

CST

HS code 73071990



Male / Female

EXPRESS EU AIR Male / Female

DN	INCH	CST		SS316					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
Male									
DN 6	3/8"	001205	0,165	1225SS	-				
DN 10	1/2"	001206	0,173	1226SS	0,133				
DN 12	3/4"	001207	0,170	1227SS	0,143				
DN 16	1"	001208	0,220	1228SS	0,200				
Female									
DN 6	3/8"	001209	0,131	1229SS	-				
DN 10	1/2"	001210	0,150	1230SS	0,139				
DN 12	3/4"	001211	0,138	1231SS	0,142				
DN 16	1"	001212	0,165	1232SS	0,201				



Materials available:

ZPL


HS code 73071990

NBR

HS code 40169300

SS316

HS code 73072910



Dustcap / Gasket

EXPRESS EU AIR Dustcap / Gasket


DN	INCH	MS		SS316					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
UNIVERSAL CAP		001213	0,150	001233SS	0,131				
		NBR							
UNIVERSAL GASKET		001234	0,006						



Materials available:

ZPL

HS code 73071990



Claw Clamps

EXPRESS EU AIR Claw Clamps

TYPE	Ext.Ø	ZPL							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
18	16-18	001129	-						
20	19-21	001130	0,04						
23	22-24	001131	0,04						
26	25-27	001132	0,06						
29	28-30	001133	0,06						
32	31-33	001134	0,08						
36	34-36	001135	0,13						
38	37-39	001136	0,15						

06-CLAMPS




Materials available:

SS301

HS code 73072910

ST

HS code 73071990



Superior Clamp Hollow Round

CLAMP Superior Clamp Hollow Round

Outside Hose Ø	SS301/W4		ST					
	Ref.	Weight/Gr.						
17 - 19	019HSS	-	019HST	-				
20 - 22	022HSS	-	022HST	-				
23 - 25	025HSS	-	025HST	-				
26 - 28	028HSS	-	028HST	-				
29 - 31	031HSS	-	031HST	-				
32 - 35	035HSS	-	035HST	-				
36 - 39	039HSS	-	039HST	-				
40 - 43	043HSS	-	043HST	-				
44 - 47	047HSS	-	047HST	-				
48 - 51	051HSS	-	051HST	-				
52 - 55	055HSS	-	055HST	-				
56 - 59	059HSS	-	059HST	-				
60 - 63	063HSS	-	063HST	-				
64 - 67	067HSS	-	067HST	-				
68 - 73	073HSS	-	073HST	-				
74 - 79	079HSS	-	079HST	-				
80 - 85	085HSS	-	085HST	-				
86 - 91	091HSS	-	091HST	-				
92 - 97	097HSS	-	097HST	-				
98 - 103	103HSS	-	103HST	-				
104 - 112	112HSS	-	112HST	-				
113 - 121	121HSS	-	121HST	-				
122 - 130	130HSS	-	130HST	-				
131 - 139	139HSS	-	139HST	-				
140 - 148	148HSS	-	148HST	-				
149 - 161	161HSS	-	161HST	-				
162 - 174	174HSS	-	174HST	-				
175 - 187	187HSS	-	187HST	-				
188 - 200	200HSS	-	200HST	-				
201 - 213	213HSS	-	213HST	-				
214 - 226	226HSS	-	226HST	-				
227 - 239	239HSS	-	239HST	-				
240 - 252	252HSS	-	252HST	-				



Materials available:

SS301


HS code 73072910

CST ZP

HS code 73071990

SS430 ZP

HS code 73072910



Worn Drive Hose Clamp

CLAMP Worn Drive Hose Clamp

TYPE	CST ZP/W1		SS430 ZP/W2		SS301/W4			
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
9,5 - 12	009408	-	10408	-	11408	-		
10 - 12	009409	-	10409	-	11409	-		
13 - 20	009410	-	10410	-	11410	-		
14 - 22	009411	-	10411	-	11411	-		
17 - 25	009412	-	10412	-	11412	-		
22 - 30	009413	-	10413	-	11413	-		
25 - 35	009414	-	10414	-	11414	-		
30 - 40	009415	-	10415	-	11415	-		
35 - 45	009416	-	10416	-	11416	-		
35 - 50	009417	-	10417	-	11417	-		
40 - 55	009418	-	10418	-	11418	-		
45 - 60	009419	-	10419	-	11419	-		
55 - 70	009420	-	10420	-	11420	-		
60 - 80	009421	-	10421	-	11421	-		
70 - 90	009422	-	10422	-	11422	-		
80 - 100	009423	-	10423	-	11423	-		
90 - 120	009424	-	10424	-	11424	-		
110 - 140	009425	-	10425	-	11425	-		
130 - 160	009426	-						
150 - 180	009427	-						
170 - 200	009428	-						
190 - 220	009429	-						
210 - 240	009430	-						
230 - 260	009431	-						



A


B




Materials available:

ST Malleable

HS code 73071990



A



B

Hose Clamp DIN 20039Abrazadera

CLAMP Hose Clamp DIN 20039

INCH	TYPE MM	ST Malleabel type A		ST Malleabel type B					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
	17 - 22	009600	-						
1/2"	22 - 29	009601	-	009500	-				
3/4"	27 - 32	009602	-	009501	-				
1"	32 - 40	009603	-	009502	-				
1 1/4"	39 - 49	009604	-	009503	-				
1 1/2"	48 - 60	009605	-	009504	-				
2"	60 - 76	009606	-	009505	-				
2 1/2"	77 - 94	009607	-	009506	-				
3"	94 - 115	009608	-						
	88 - 96	009609	-						
	96 - 103	009610	-						
	103 - 125	009611	-						
	114 - 128	009612	-						
	130 - 144	009613	-						
	151 - 165	009614	-						
	165 - 192	009615	-						
	195 - 208	009616	-						
	210 - 225	009617	-						
	227 - 239	009618	-						
	252 - 289	009619	-						
	300 - 330	009620	-						

07-COUPPLINGS VARIOUS




Materials available:

PST

HS code 73079980

SS316

HS code 73072910



Worn Drive Hose Clamp

HOSE MENDER

TYPE	Plating Steel		SS316					
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	ST1324	0,03	SS1324	-				
3/4"	ST1325	0,05	SS1325	-				
1"	ST1326	0,10	SS1326	-				
1 1/4"	ST1327	0,14	SS1327	-				
1 1/2"	ST1328	0,18	SS1328	-				
2"	ST1329	0,38	SS1329	-				
2 1/2"	ST1330	0,61	SS1330	-				
3"	ST1331	0,86	SS1331	-				
4"	ST1332	1,31	SS1332	-				
5"	ST1333	2,40	SS1333	-				
6"	ST1334	2,90	SS1334	-				
8"	ST1335	4,50	SS1335	-				




Materials available:

PST

HS code 73071990

SS316

HS code 73072910



Combination Nipple

COMBINATION Combination Nipple


INCH	Plated Steel		SS316					
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	ST1300	0,05	SS1300	-				
3/4"	ST1301	0,07	SS1301	-				
1"	ST1302	0,13	SS1302	-				
1 1/4"	ST1303	0,18	SS1303	-				
1 1/2"	ST1304	0,25	SS1304	-				
2"	ST1305	0,36	SS1305	-				
2 1/2"	ST1306	0,66	SS1306	-				
3"	ST1307	0,88	SS1307	-				
4"	ST1308	1,05	SS1308	-				
5"	ST1309	2,06	SS1309	-				
6"	ST1310	3,02	SS1310	-				
8"	ST1311	6,05	SS1311	-				



Materials available:

ST

HS code 73071990



Steam Coupling Complete

STEAM Coupling Complete


DN	CST								Ref.
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	
15	007070	0,05							
20	007071	0,09							
25	007072	0,10							
32	007073	1,07							
40	007074	1,08							
50	007075	3,00							



Materials available:

ST

HS code 73071990



Steam Hose Stem

STEAM Hose stem


DN	CST								Ref.
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	
15	007076	-							
20	007077	-							
25	007078	-							
32	007079	-							
40	007080	-							
50	007081	-							



Materials available:

ST

HS code 73071990



Female Spud / Reductor

STEAM Female Spud and Wing Nut

DN	CST							
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
Female Spud								
15	007082	-						
20	007083	-						
25	007084	-						
32	007085	-						
40	007086	-						
50	007087	-						
Wing Nut								
15	007088	-						
20	007089	-						
25	007090	-						
32	007091	-						
40	007092	-						
50	007093	-						



Materials available:

ST

HS code 73071990



Male for Hose

STEAM Male for Hose


DN	CST							
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
15	007094	-						
20	007095	-						
25	007096	-						
32	007097	-						
40	007098	-						
50	007099	-						



Materials available:

ST

HS code 73071990



interlock Clamps 2/4 Bolts

STEAM Interlock Clamps 2/4 Bolts

DN	INCH	CST							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
Female Spud									
25	1"	007103	-						
32	1 1/4"	007104	-						
40	1 1/2"	007105	-						
50	2"	007106	-						
Wing Nut									
A9		007100	-						
15	1/2"	007101	-						
20	3/4"	007102	-						



Materials available:

ST

HS code 73071990



Male Hose End

BAUER Male Hose End


INCH	CST							
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
2"	A09000	-						
3"	A09001	-						
3 1/2"	A09002	-						
4"	A09003	-						
6"	A09004	-						
8"	A09005	-						
10"	A09006	-						
12"	A09007	-						



Materials available:

ST

HS code 73071990



Female Hose End

BAUER Female Hose End


INCH	CST							
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
2"	B09000	-						
3"	B09001	-						
3 1/2"	B09002	-						
4"	B09003	-						
6"	B09004	-						
8"	B09005	-						
10"	B09006	-						
12"	B09007	-						



Materials available:

ST

HS code 73071990



Lever Ring

BAUER Lever Ring

INCH	CST								Ref.
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	
2"	C09000	-							
3"	C09001	-							
3 1/2"	C09002	-							
4"	C09003	-							
6"	C09004	-							
8"	C09005	-							
10"	C09006	-							
12"	C09007	-							



Materials available:

NBR

HS code 40169300

EPDM

HS code 40169300

Lever Gasket

BAUER Lever Gasket

INCH	NBR		EPDM						Ref.
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	
2"	D09000	-	E09000	-					
3"	D09001	-	E09001	-					
3 1/2"	D09002	-	E09002	-					
4"	D09003	-	E09003	-					
6"	D09004	-	E09004	-					
8"	D09005	-	E09005	-					
10"	D09006	-	E09006	-					
12"	D09007	-	E09007	-					


08-FOOD



Materials available:

SS316

HS code 73072910



Male Hose End

FOOD DIN 11851 Female Hose End

DN	INCH	SS316							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
06	1/8"	1204006	-						
12	1/2"	1204012	-						
19	3/4"	1204019	-						
25	1"	1204025	-						
32	1 1/4"	1204032	-						
40	1 1/2"	1204040	-						
50	2"	1204050	-						
65	2 1/2"	1204065	-						
75	3"	1204075	-						
80	G3"	1204080	-						
100	4"	1204100	-						



Materials available:

SS316


HS code 73072910

SILICONE

HS code 40169300

EPDM

HS code 40169300



Male Hose End / Gasket

FOOD DIN 11851 Male Hose End / Gasket


DN	INCH	SS316		Silicone Transparent		EPDM Blue			
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
06	1/8"	1205006	-						
12	1/2"	1205012	-						
19	3/4"	1205019	-						
25	1"	1205025	-	1209825	-	1209925	-		
32	1 1/4"	1205032	-	1209832	-	1209932	-		
40	1 1/2"	1205040	-	1209840	-	1209940	-		
50	2"	1205050	-	1209850	-	1209950	-		
65	2 1/2"	1205065	-	1209865	-	1209965	-		
75	3"	1205075	-	1209875	-	1209975	-		
80	G3"	1205080	-	1209880	-	1209980	-		
100	4"	1205100	-	1209810	-	1209910	-		



Materials available:

SS304

HS code 73072910



DIN Nut

FOOD DIN 11851 Food DIN Nut


DN	INCH	SS304							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
06	1/8"	1206006	-						
12	1/2"	1206012	-						
19	3/4"	1206019	-						
25	1"	1206025	-						
32	1 1/4"	1206032	-						
40	1 1/2"	1206040	-						
50	2"	1206050	-						
65	2 1/2"	1206065	-						
75	3"	1206075	-						
100	4"	1206100	-						



Materials available:

SS316

HS code 73072910



Ferrule

FOOD DIN 11851 Ferrule


DN	INCH	SS316		Hose	A	B	C	D	
		Ref.	Weight	mm	mm	mm	mm	mm	
06	1/8"	1207006	-						
12	1/2"	1207012	0.06	13 X 4	28.5	20.5	42.0	22.2	
19	3/4"	1207019	0.10	20 x 6	39.8	27.7	42.0	32.4	
25	1"	1207025	0.12	25 x 7	47.5	34.4	42.0	40.6	
32	1 1/4"	1207032	0.13	32 X 6	52.0	40.7	42.0	45.4	
40	1 1/2"	1207040	0.19	38 x 6,5	60.0	47.1	44.5	53.3	
50	2"	1207050	0.39	50 x 8	77.0	60.7	60.0	67.9	
65	2 1/2"	1207065	0.55	65 x 8	93.0	74.7	70.0	82.9	
75	3"	1207075	0.70	75 x 8	102.7	86.7	83.0	92.9	
80	3"	1207080	1.05	75 x 12	114.0	89.6	83.0	101.8	
100	4"	1207100	1.47	100 x 10	135.0	113.2	99.0	122.4	



Materials available:

SS316

HS code 73072910



Male Couling With Hose TailHembra

MACON Male Coupling With Hose Tail


DN	SS316							
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
40	MACFE040	-						
50	MACFE050	-						
63	MACFE063	-						
70	MACFE070	-						
76	MACFE076	-						
80	MACFE080	-						
100	MACFE100	-						



Materials available:

SS316

HS code 73072910



Feamale Couling With Hose Tail

MACON Female Coupling With Hose Tail


DN	SS316							
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
40	MACMA040	-						
50	MACMA050	-						
63	MACMA063	-						
70	MACMA070	-						
76	MACMA076	-						
80	MACMA080	-						
100	MACMA100	-						



Materials available:

SS304

HS code 73072910



Nut for Female

MACON Nut For Female


DN	SS304							
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
40	MACNU040	-						
50	MACNU050	-						
63	MACNU063	-						
70	MACNU070	-						
76	MACNU076	-						
80	MACNU080	-						
100	MACNU100	-						



Materials available:

SS316

HS code 73072910



Female Without Nut

SMS 1145 Food Female Without Nut


DN	INCH	SS316							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
25	1"	1404025	-						
32	1 1/4"	1404032	-						
40	1 1/2"	1404040	-						
50	2"	1404050	-						
65	2 1/2"	1404065	-						
75	3"	1404075	-						
100	4"	1404100	-						



Materials available:

SS316

HS code 73072910



Male Hose End

SMS 1145 Food Male Hose End


DN	INCH	SS316							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
25	1"	1405025	-						
32	1 1/4"	1405032	-						
40	1 1/2"	1405040	-						
50	2"	1405050	-						
65	2 1/2"	1405065	-						
75	3"	1405075	-						
100	4"	1405100	-						



Materials available:

SS316

HS code 73072910



NUT

SMS 1145 Food Nut


DN	INCH	SS316							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
25	1"	1406025	-						
32	1 1/4"	1406032	-						
40	1 1/2"	1406040	-						
50	2"	1406050	-						
65	2 1/2"	1406065	-						
75	3"	1406075	-						
100	4"	1406100	-						



Materials available:

SS304

HS code 73072910



Ferrule

FERRULE Food Ferrule


DN	SS304		A	B	D	E	L	
	Ref.	Weight/Gr.	mm	mm	mm	mm	mm	
25	1208025	-	32,5	39	44,5	3	41	
25	1208026	-	32,5	41	46,5	3	46	
32	1208032	-	40	47	54	3	41	
32	1208033	-	40	53	59	3	46	
40	1208042	-	45,5	52,5	60,3	3	41	
40	1208041	-	45,5	58	66	3	46	
50	1208052	-	60	67	74,5	3,5	55	
50	1208051	-	60	71	78,5	3,5	55	
65	1208067	-	73,5	82	89,5	4	65	
65	1208066	-	73,5	86	93,5	4	71	
75	1208075	-	85,5	93,6	101,6	4	83	
75	1208076	-	85,5	93,6	101,6	4	87	
100	1208100	-	113	120	130	5	101	



Materials available:

SS316

HS code 73072910



Tri-clamp Coupling With Hose Tail

TRI-CLAMP Coupling With Hose Tail


DN	INCH	SS316							
		Ref.	D1	D2	D3	D4	D5	L1	L2
12	1/2"	1218012	50,50	32,00	29,00	8,00	12,00	48,80	31,80
19	3/4"	1218019							
25	1"	1218025	50,50	22,60	38,00	21,00	25,40	63,50	43,00
40	1 1/2"	1218040	50,50	35,60	38,60	33,50	38,00	66,50	43,00
50	2"	1218050	64,00	48,60	51,60	46,00	50,80	74,50	51,00
65	2 1/2"	1218065	77,50	60,30	64,10	58,50	63,50	92,50	68,00
75	3"	1218075	91,00	72,90	76,70	70,10	76,20	107,50	82,00
100	4"	1218100	119,00	94,60	102,50	94,60	101,60	123,50	97,00



Materials available:

SS316


HS code 73072910



Tri Coupling Clamp

TRI-CLAMP Tri Coupling Clamp


DN	SS316							
	Ref.	Weight/Gr.	Ø A	Ø B				
10 - 20	1219010	-	27.8	37.0				
25 - 38	1219025	-	44.4	53.6				
50	1219050	-	57.8	67				
65	1219065	-	84	94.2				
75	1219075	-	99	109.2				
100	1219100	-	110	122.2				
200	1219200-6	-	205	220				



Materials available:

SS304

HS code 73072910



Ferrule

TRI-CLAMP Ferrule

DN	SS304		A	B	D	E	L	
	Ref.	Weight/Gr.	mm	mm	mm	mm	mm	
20	1217020	-	27	32	39	3	44	
25	1217025	-	32,5	39	46,5	3	46	
25	1217026	-	32,5	37	44,5	3	35	
32	1217032	-	40	52	59	3	46	
32	1217033	-	40	46	53	3	40	
40	1217040	-	45,5	58	66	3	46	
40	1217041	-	46	53	61	3	42	
50	1217050	-	60	71	78,5	3,5	55	
50	1217051	-	58	66	73,5	3,5	50	
65	1217065	-	73,5	86	93,5	4	71	
65	1217066	-	73,5	80	87,5	4	71	
75	1217067	-	85,5	93,6	101,6	4	87	

09-TODO/BANJO



Materials available:

TODO

HS code 84814010

Tank Unit / Hose Unit

TODO - MATIC Tank Unit & Hose Unit

DN	INCH	Gasket	SS316		ALU		MS	
			Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
TANK UNIT								
19	3/4"	viton	5823A-4407	-	5823A-1107	-	5823A-2207	-
25	1"	viton	4942A-4407	-	4942A-1107	-	4942A-2207	-
32	1 1/4"	viton	4992A-4407	-	4992A-1107	-	4992A-2207	-
HOSE UNIT								
19	3/4"	viton	7075-4407	-	7075-1407	-	7075-2407	-
25	1"	viton	7100-4407	-	7100-1407	-	7100-2407	-
32	1 1/4"	viton	7125-4407	-	7125-1407	-	7125-2407	-



Materials available:

TODO

HS code 84814010

Tank Unit / Hose Unit

TODO - MATIC Tank Unit & Hose Unit

DN	INCH	Gasket	SS316		ALU		MS	
			Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
TANK UNIT								
40	1 1/2"	viton	5100A-4407	-	5001A-1107	-	5001A-2207	-
50	2"	viton	5002A-4407	-	5002A-1107	-	5002A-2207	-
7								
HOSE UNIT								
40	1 1/2"	viton	9150G-4407	-	5005A-1407	-	5005A-2407	-
50	2"	viton	9200G-4407	-	7100-2407	-	7125-4407	-
50	2"	viton	7100-1407	-				



Materials available:

TODO

HS code 84814010

Tank Unit / Hose Unit

TODO - MATIC Tank Unit & Hose Unit

DN	INCH	Gasket	SS316		ALU		MS	
			Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
TANK UNIT								
65	2 1/2"	viton	5333X-4407	-	5331C-1107	-	5331C-2207	-
80	2 1/2"	viton	5431X-4407	-	5431C-1107	-	5431C-2207	-
HOSE UNIT								
65	2 1/2"	viton	9250G-4407	-	5332G-1307	-	5332G-2407	-
80	2 1/2"	viton	9260G-4407	-	5432G-1307	-	5432G-2407	-



Materials available:

TODO

HS code 84814010

Tank Unit / Hose Unit

TODO - MATIC Tank Unit & Hose Unit

DN	INCH	Gasket	SS316		ALU		MS	
			Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
TANK UNIT								
80	3"	viton	5531X-4407	-	5531C-1107	-	5531C-2207	-
HOSE UNIT								
80	3"	viton	9300F-4407	-	5532-1307	-	5532F-2407	-



Materials available:

TODO

HS code 84814010

Tank Unit / Hose Unit

TODO - MATIC Tank Unit & Hose Unit

DN	INCH	Gasket	SS316		ALU		MS	
			Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
TANK UNIT								
100	4"	viton	5830A-4407	-	5631-1107	-	5631-2207	-
HOSE UNIT								
100	4"	viton	9400-4407	-	5632G-1307	-	5632G-2407	-



Materials available:

TODO

HS code 84814010

Tank Unit / Hose Unit

TODO - MATIC Tank Unit & Hose Unit

DN	INCH	Gasket	SS316		ALU		MS	
			Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
TANK UNIT								
150	6"	viton	7210-4407		7210-1107	-	7210-2207	-
HOSE UNIT								
150	6"	viton	7200E-4407	-	720-1407	-	7200-2407	-



Materials available:

TODO

HS code 84814010

Dust Cap Plug

TODO - MATIC Tank Unit & Hose Unit

DN	INCH	Rubber for Hose		Rubber for Tank		ALU Dustcap		ALU Dustplug	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
25	1"	3663-10	-	3664-10	-				
50	2"	3665-10	-	3666-10	-				
80	3"					5535C-1407	-	5536-1007	-



Materials available:

TODO

HS code 84814010

API Adapter

TODO - MATIC API Adapter

TYPE	ALU					
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
API Adapter with TW3/1000 Flange Without Handle	5740A-1107	-				
API Adapter with TW3/1000 Flange With Handle	5741A-1107	-				
API Adapter with TTMA Flange With Handle	6690A-1107	-				
API Adapter with TTMA Flange Without Handle	6691A-1107	-				
API Hose Unit With 3TW/100 Flange	6700A-1107	-				
API Hose Unit With TTMA Flange	6703A-1107	-				

Dustcap**Dustplug****Interlock**

Materials available:

TODO

HS code 84814010

API Dust Cap / Interlock

TODO - MATIC Dust Cap & Interlock

TYPE	ALU					
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
Dustcap for API ADAPTER 4"	5378B-1407	-				
Dustplug for API Hose Unit	6750-1107	-				
Air Interlock Valve for API	5764-2406	-				



Materials available:

TODO

HS code 84814010

Vapour Recovery

TODO - MATIC Vapour Recovery

TYPE	ALU			
	Ref.	Weight/Gr.	Ref.	Weight/Gr.
Gravity Coupler 4" x 3" Without Sightglass	6677	-		
Gravity Coupler 4" x 4" Male Tread Without Sightglass	6769	-		
Gravity Coupler 4" x 4" Male Tread With Sightglass	6770	-		
Gravity Coupler 4" x 4" Male Raklok A With Sightglass	6886	-		
Gravity Coupler 4" x 4" Male Raklok A Without Sightglass	6787	-		



Materials available:

TODO

HS code 84814010

Vapour Recovery Coupling

TODO - MATIC Vapour Recovery Coupling

TYPE	ALU			
	Ref.	Weight/Gr.	Ref.	Weight/Gr.
Vapour Recovery Coupler Type C4"	5864-1106	-		
Vapour Recovery Coupler Type B4"	5875-1106	-		
Vapour Recovery Coupler Type D4"	5876-1106	-		
Vapour Recovery Coupler Type D4" x 3" Female Thread	004912	-		
Vapour Recovery Tankunit With 4" TTMA Flange	7950-1107	-		
Vapour Recovery Tankunit With 4" TTMA Flange + Interlock	7960	-		
Vapour Recovery Tankunit With 4" 3TW/100 flange + Interlock	7961	-		
Vapour Recovery Tankunit With 4" 3TW/100 Flange	7962-1107	-		
Dustcap Vapour Recovery 4"	7970	-		
Air Interlok Valve for Vapour Recovery	5765-2406	-		



BANJO



RAKORD®

HOSE COUPLINGS IMPORT AND DISTRIBUTION

**EXPECT
MORE**

RAKORD MOST,
Zatecka 1400, 434 01
tel. +420 608 300

RAKORD BLANES,
C/ Forn 1, bajos, 17300
tel. +34 635 034 207
+34 634 155 715

RAKORD SEVILLA
C/ Corea, 19. 41020
tel. +34 645 538 305
+34 699 676 222