


02-STORZ / BARCELONA



Materiales disponibles:

ALU A356 T6

Codigo HS76090000



P/Manguera: Presión

STORZ D para manguera Presión

SIZE	LUG	Hose tail mm.	ALU CASTING		NORM	ALU FORGED		MS	
			Ref.	Peso/Gr.		Ref.	Peso/Gr.	Ref.	Peso/Gr.
25D	31	42	003100	0.11					
42C	66	55	003101	0.38	DIN14332				
52C	66	55	003102	0.36	DIN14302	002002	-		
65	81	60	003103	0.51					
75B	89	60	003104	0.71	DIN14303	002007	-		
110A	133	103	003105	1.06	DIN14323				



Materiales disponibles:

ALU A356 T6


Codigo HS76090000

SS316

Codigo HS73072910

MS

Codigo HS74122000



P/Manguera: Presión / Aspiración

STORZ DS para manguera Presión yAspiración

SIZE	LUG	Ø Hose tail	Long Hose tail mm.	ALU CASTING		ALU FORGED		SS316		MS	
				Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr.
25D	31	20	53	003199	0.09	002010	0.09			003120	-
25D	31	25	53	003200	0.09	002011	0.09	003140	0.26		
38	52	38	90	003201	0.22						
45	59	45	72	003202	0.37						
52C	66	25	90	003207	0.37	002021					
52C	66	32	90	003206	0.37	002023					
52C	66	38	90	003205	0.37	002024					
52C	66	45	90	003211	0.37	002027					
52C	66	52	90	003203	0.37	002029	0.37	003142	0.95	003121	1.06
65	81	52	95	-	-	002033	0.53	-	-	-	-
65	81	65	95	-	-	002034	0.53	-	-	003122	2
65	81	75	95	-	-	002035	0.53	-	-	-	-
75B	89	75	125	003208	0.71	002039	0.71	003145	-		
110A	133	90	170	003204	1.15	002044	1.15				
110A	133	100	170	003209	1.77	002045	1.77	003146	-		
110A	133	110	170	003210	1.66	002046	1.66	003147	4.25		



Materiales disponibles:

ALU A356 T6


SS316

MS

Codigo HS76090000

Codigo HS73072910

Codigo HS74122000



Rosca Hembra

STORZ DS Rosca hembra

SIZE	LUG	Rosca	ALU		SS316		MS		MS	
			Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr	Ref.	Peso/Gr.
25D	31	G1/2"							003321	
25D	31	G3/4"	003300	0.09	002050	0.09			003320	
25D	31	G1"	003301	0.09	002052	0.09	003340	0.21	003322	0.23
25D	31	G2"			002054				003323	
32	44	G1"							003324	0.39
32	44	G1 1/4"							003325	
38	51	G1"							003326	
38	51	G1 1/4"							003327	
38	51	G1 1/2"	003302	0.15	002059	0.15			003328	0.44
38	51	G2"			002060	0.18			003329	
45	59	G1 1/2"							003330	
45	59	G2"							003331	
52C	66	G1"	003305	0.28	002064	0.28	003341		003332	
52C	66	G1 1/4"	003303	0.30	002066	0.30			003334	
52C	66	G1 1/2"	003306	0.28	002067	0.28			003335	
52C	66	G2"	003307	0.28	002065	0.28	003342	0.77	003333	0.8
52C	66	G2 1/2"	003308	0.28	002068	0.28			003336	
65	81	G1 1/2"			002072	0.38				
65	81	G2"			002070	0.41			003337	
65	81	G2 1/2"	003309	0.38	002073	0.41			003338	1.12
65	81	G3"			002074	0.41			003339	
75B	89	G2"			002075	0.41			003350	
75B	89	G2 1/2"	003310	0.42	002076	0.42	003344		003351	
75B	89	G3"	003311	0.42	002077	0.45	003345	1.26	003352	1.5
100	115	G4"	003314	0.85						
110	133	G4"	003312	0.85	002080	0.85	003346	3.25	003353	3.77
110	133	G4 1/2"	003316	1.09	002081	1.09			003354	3.77
125	148	G5"	003313							



Materiales disponibles:

ALU A356 T6


SS316

MS

Codigo HS73090000

Codigo HS76072910

Codigo HS74122000



Rosca macho

STORZ DS Roscamacho

SIZE	LUG	Rosca	ALU		SS316		MS		MS	
			Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr.
25D	31	G1/2"							003425	
25D	31	G3/4"	003397	0.07	002085				003426	
25D	31	G1"	003400	0.07	002087		003440		003420	
38	52	G1 1/2"	003401	0.12						
52C	66	G1"	003412	0.14	002095					
52C	66	G1 1/4"	003411		002097				003427	
52C	66	G1 1/2"	003402	0.25	002098				003428	
52C	66	G2"	003403	0.21	002096		003441		003421	
52C	66	G2 1/2"			002099					
65	81	G2"	003404	0.36	002100					
65	81	G1 1/2"			002102					
65	81	G2 1/2"	003405	0.38	002103				003422	
65	81	G3"			002104					
75B	89	2"	003410		002105					
75B	89	G2 1/2"	003406	0.36	002106		003442		003423	
75B	89	G3"	003407	0.33	002107		003443		003424	
110	133	G4"	003408	1.01	002109		003444			
125	148	G5"	003409	-						



Materiales disponibles:

ALU A356 T6


SS316

MS

Codigo HS73090000

Codigo HS76072910

Codigo HS74122000



Tapón

STORZ Tapón


Tipo	LUG	ALU Casting		ALU Forged		SS316		MS	
		Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr.
25D	31	003500	0.09	002111	0.09	003541	0.25		
45	59	003501	0.3						
52C	66	003502	0.38	002115	0.38	003542	0.88	003619	0.92
65	81	003503	0.46	002116	0.46			003620	1.27
75B	89	003504	0.56	002117	0.56	003544	1.34	003621	1.46
110A	133	003505	1.34	002120	1.34	003545	3.65		3.73
Hydrant									
	52	003506	0.38						
	75	003507	0.49						
	100	003508	1.23						



Materiales disponibles:

ALU A356 T6

Codigo HS76090000



Para Sistemas Pelet

STORZ Para Sistemas Pelet

Tipo	ALU								Ref.
	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr.	
110A			P03505	0.56					




Materiales disponibles:

ALU A356 T6

Codigo HS76090000

SS316

Codigo HS73072910



Reduccion

STORZ Storz Reduccion

Tipo	ALU Casting		ALU Forged		SS316		MS	
	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr.
25D / 52C	003600	0.31	002123		003640			
52C / 75B	003601	0.61	002125		003641			
65 / 75B	003602	-						
75B / 110A	003603	1.57	002127		003642			



Materiales disponibles:

ST

Codigo HS73071990



Llave

STORZ Llave

Tipo	ST								Ref.
	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr.	
UNIVERSAL	003873	1.31							



Materiales disponibles:

NBR	Codigo HS40169300
SILICONA	Codigo HS40169300
PTFE	Codigo HS40169300

Junta Rosca

STORZ Storz Juntas para Presión

Tipo	NBR Black		NBR White		Silicona		PTFE	
	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr	Ref.	Peso/Gr.
25D	000655	0.002					000673	-
32	000656	0.004					000674	-
38	000657	0.008	000666	-	000670	-	000675	-
52C	000658	0.011					000676	-
65	000659	0.014					000677	-
75B	000660	0.038	000667	-	000671	-	000678	-
90	000661	-					000679	-
100	000662	-	000668	-	000672	-	000680	-
110A	000663	-	000669	-			000681	-
125	000664	-					000682	-
150	000665	-						



Materiales disponibles:

NBR	Codigo HS40169300
SILICONA	Codigo HS40169300
PTFE	Codigo HS40169300

Junta DS

STORZ Juntas para Aspiración y Presión


Tipo	NBR black		NBR white		SILICONA		EPDM	
	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr	Ref.	Peso/Gr.
25D	000600	0.003	000611	0.003	000622	-	000633	-
32	000601	-	000612	-	000623	-	000634	-
38	000602	0.011	000613	0.011	000624	-	000635	-
52C	000603	-	000614	-	000625	-	000636	-
65	000604	0.016	000615	0.016	000626	-	000637	-
75B	000605	0.043	000616	0.043	000627	-	000638	-
90	000606	-	000617	-	000628	-	000639	-
100	000607	-	000618	-	000629	-	000640	-
110A	000608	-	000619	-	000630	-	000641	-
125	000609	-	000620	-	000631	-	000642	-
150	000610	-	000621	-	000632	-	000643	-



Materiales disponibles:

ALU A356 T6

Codigo HS76090000



Para Manguera

BARCELONA para manguera


Tipo	ALU die casting		ALU forged						
	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr	Ref.	Peso/Gr.	Ref.
DN25	008369	0.07	008370	0.82					
DN45	008397	0.18	008371	1.71					
DN70	008398	0.36	008372	4.38					
DN100	008399	0.49							



Materiales disponibles:

ALU A356 T6

Codigo HS76090000



Hembra forjado

BARCELONA Hembra


Tipo	ALU Die casting		ALU Forged					
	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr	Ref.	Peso/Gr.
DN19			008380	-				
DN25	008365	0.64	008381	0.62				
DN45	008366	1.04	008382	1.41				
DN70	008367	2.06	008383	2.91				
DN100	008368		008384	-				



Materiales disponibles:

ALU A356 T6

Codigo HS 76090000



Macho forjado

BARCELONA Macho


Tipo	ALU Die casting		ALU Forged					
	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr	Ref.	Peso/Gr.
DN19			008385	-				
DN25	008357	0.68	008386	0.61				
DN45	008362	1.56	008387	1.68				
DN70	008363	3.23	008388	2.87				
DN100	008364	-						
DN45			008395	-				
DN70			008396	-				



Materiales disponibles:

ALU A356 T6

Codigo HS 76090000



Reducción forjado

BAECELONA Reducción


Tipo	ALU Die casting		ALU Forged						
	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr	Ref.	Peso/Gr.	Ref.
DN25 x 45			008390	2.25					
DN45 x 70			008391	2.77					
DN100 x 70			008389	-					



Materiales disponibles:

ALU A356 T6

Codigo HS76090000



Tapón

BARCELONA Tapón

Tipo	ALU die casting		ALU forged						
	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr	Ref.	Peso/Gr.	Ref.
DN25	008358	1.01	008392	1.21					
DN45	008359	2.06	008393	1.81					
DN70	008360	4.05	008394	2.41					
DN100	008361	-							



Materiales disponibles:

NBR

Codigo HS40169300

Juntas

BARCELONA Juntas

Tipo	NBR		NBR Rosca					
	Ref.	Peso/Gr.	Ref.	Peso/Gr.	Ref.	Peso/Gr	Ref.	Peso/Gr.
DN19			000223	0.02				
DN25	000220	0,05	000224	0.04				
DN40			000225	0.07				
DN45	000221	0,15						
DN70	000222	0,27	000226	0.11				