

04-TANKWAGEN



Materials available:

SS316


HS code 73072910

MS

HS code 74122000

ALU A356 T6

HS code 76090000



VK Male

TANKWAGEN VK Male 14420-6

TYPE	INCH	ALU		SS316		FMS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
VK 50	1 1/2"			005099	0.45	005098	0.51		
VK 50	2"			005100	0.27	005103	0.35		
VK 80	3"	005120		005101	0.67	005104	0.76		
VK 100	4"			005102	1.02	005105	1.19		



Materials available:

SS316


HS code 73072910

MS

HS code 74122000

ALU A356 T6

HS code 76090000



MK Female

TANKWAGEN MK Female 14420-6

TYPE	INCH	ALU		SS316		FMS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
MK50	1 1/2"					005097			
MK 50	2"			005110	0.22	005113	0.22		
MK 80	3"	005130		005111	0.44	005114	0.52		
MK 100	4"			005112	0.86	005115	0.89		
WITH SECURITY LOCK									
MK 50	2"			S05110	0.65				
MK 80	3"			S05111	1.33				



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000
PP reinforced with 25% to 30% fiberglass	HS code 39174000



VB Male

TANKWAGEN VB Male 14420-6

DN	INCH	ALU		SS316		FMS		PP	
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
MK 50	2"	005206	0,21	005200	0,28	005203	0,31	005197	0,04
MK 80	3"	005207	0,31	005201	0,64	005204	0,73	005198	0,11
MK 100	4"	005208	0,46	005202	1,01	005205	1,09	005199	0,18



Materials available:

SS316	HS code 73072910
ALU A356 T6	HS code 76090000
MS C85700	HS code 74122000



MB Female

TANKWAGEN MB Female 14420-6

DN	INCH	ALU		SS316		FMS		Ref.	Weight/Gr.
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.		
MK 50	2"	005216	0,11	005210	0,27	005213	0,37		
MK 80	3"	005217	0,24	005211	0,66	005214	0,78		
MK 100	4"	005218	0,38	005212	0,97	005215	0,98		




Materials available:

SS316

HS code 73072910

MS C85700

HS code 74122000



Male with Smooth Hose Tail

TANKWAGEN Male with smooth Hose Tail 14420-6

TYPE	INCH	SS316		MS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
GA 013	1/2"			005309	-				
GA 015	1/2"	005298	0,078						
GA 019	3/4"	005299	0,138	005310	0,084				
GA 019	1"			005321	-				
GA 025	3/4"			005320	-				
GA 025	1"	005300	0,170	005311	0,119				
GA 032	1 1/4"	005301	0,265	005312	0,178				
GA 038	1 1/2"	005302	0,327	005313	-				
GA 038	DN 35			005307	-				
GA 040	1 1/2"			005308	0,231				
GA 050	2"	005303	0,501	005314	0,349				
GA 065	2 1/2"	005297	0,858	005319	0,599				
GA 075	3"	005304	1,228	005315	0,888				
GA 075	4"	005306	-						
GA 080	3"	005296	1,151	005317	0,941				
GA 100	4"	005305	2,901	005316	1,892				




Materials available:

SS316

HS code 73072910

MS C85700

HS code 74122000



Female with Smooth Hose Tail

TANKWAGEN Female with smooth Hose Tail 14420-6

TYPE	INCH	SS316		MS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
GI 013	1/2"	005398	0,051	005409	0,056				
GI 019	3/4"	005399	0,071	005410	0,078				
GI 025	1"	005400	0,095	005411	0,106				
GI 032	1 1/4"	005397	0,157	005412	0,174				
GI 032	2"			005406	-				
GI 038	1 1/2"	005401	0,235	005413	0,261				
GI 038	DN 35			005407	-				
GI 050	1 1/2"			005408	-				
GI 050	2"	005402	0,448	005414	0,498				
GI 065	2 1/2"	005420		005416	0,620				
GI 075	3"	005403	0,912	005417	1,013				
GI 080	3"			005418	-				
GI 100	4"			005419	1,456				




Materials available:

SS316

MS C85700

HS code 73072910

HS code 74122000



Male with Serrated Hose Tail

TANKWAGEN Male with Serrated Hose Tail

TYPE	INCH	SS316		MS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
GA 013	1/2"	005360	0,100	005329	0,056				
GA 019	3/4"	005361	0,153	005330	0,084				
GA 025	1"	005362	0,198	005331	0,119				
GA 032	1 1/4"	005363	0,265	005332	0,178				
GA 038	1 1/2"	005364	0,358	005333	0,231				
GA 050	2"	005365	0,500	005334	0,349				
GA 065	2 1/2"	005366	0,858	005335	0,599				
GA 075	3"	005367	1,251	005336	0,888				
GA 100	4"	005368	-	005337	1,892				
GA 035	1 1/4"			005359					




Materials available:

SS316

MS C85700

HS code 73072910

HS code 74122000



Female with Serrated Hose Tail

TANKWAGEN Female with Serrated Hose Tail

DN	INCH	SS316		MS					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
GI 013	1/2"	005350	0,050	005345	0,056				
GI 019	3/4"	005351	0,070	005346	0,078				
GI 025	1"	005352	0,095	005338	0,106				
GI 032	1 1/4"	005353	0,157	005339	0,174				
GI 038	1 1/2"	005354	0,235	005340	0,261				
GI 050	2"	005355	0,448	005341	0,498				
GI 065	2 1/2"	005356	0,558	005342	0,620				
GI 075	3"	005357	0,912	005343	1,013				
GI 100	4"	005358	1,310	005344	1,456				



Materials available:

ALU A356 T6


SS316

MS C85700

HS code 76090000

HS code 73072910

HS code 74122000



Safety Clamps

TANKWAGEN Safety Clamps EN 14420-2 DIN2817


TYPE	Ø Outside Hose	ALU		SS316		MS		Ref.	Weight/Gr.
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.		
13 x 5	22-24	005509	0,11	005539	0,25				
13 x 6	23-26			005558	-				
19 x 6	30-33	005510	0,13	005540	0,31	005553	0,31		
25 x 5	34-36	005526	0,14						
25 x 6	36-39	005511	0,14	005541	0,33				
32 x 5	41-43	005525	0,16						
32 x 6	43-46	005512	0,15	005542	0,35				
32 x 8	47-50	005527	0,15						
35 x 6	47-50	005508	-						
38 x 5	47-49	005524	0,15						
38 x 6,5	50-52	005513	0,16	005543	0,38	005554	0,45		
38 x 8	53-56	005520	0,18	005555	0,45				
38 x 10	57-60	005522	0,17						
40 x 7	53-56	005523	0,18						
40 x 10	58-61			005547	-				
45 x 7	58-61								
50 x 5	59-61	005505	-						
50 x 5,5	60-62	005532	0,27						
50 x 6	61-63	005530	0,27						
50 x 8	64-67	005514	0,27	005544	0,69				
50 x 10	69-71	005531	0,33	005552	-				
63 x 6	74-77	005534	0,43	005557	0,87				
63 x 8	78-82	005515	0,43	005545	-				
65 x 7	78-82			005549	-				
65 x 10	84-87	005533	0,49						
75 x 6	86-90	005535	0,49	005556	1,18				
75 x 8	89-93	005518	0,49	005546	1,20				
75 x 10	94-97	005521	0,52						
80 x 8	94-97	005516	0,47	005550	-				
90 x 6,5	101-105	005538	1,09						
100 x 8	114-119	005517	1,15	005548	2,90				
100 x 10	118-122	005519	1,88						
100 x 14	126-130	005537	3,78						
125 x 10	143-148	005536	3,30	005551	-				
150 x 10	168-174	005528	6,50	005552	11,92				
150 x 13	174-184	005559	3,70						
200 x 12	222-229	005529	6,65						
200 x 16	230-239	005507	-						



Materials available:

ALU A356 T6

HS code 76090000



Pinned Safety Clamps

TANKWAGEN Pinned Safety Clamps EN 14420-3 DIN2817

TYPE	Ø Outside Hose	ALU							
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
25 x 6	36-39	005560	0,14						
32 x 6	43-46	005561	0,15						
38 x 6,5	50-52	005562	0,15						
50 x 8	64-67	005563	0,29						
63 x 8	76-80	005564	0,43						
75 x 8	89-93	005565	0,49						
100 x 8	114-119	005566	-						



Materials available:

TEFLON

HS code 40169300

PU

HS code 39269097

Thread Gasket for SS GI

TANKWAGEN Thread Gasket for SS GI

DN	INCH	TEFLON		PU					
		Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
DN19	3/4"	005901	0,01	005910	0,01				
DN25	1"	005902	0,01	005911	0,01				
DN32	1 1/4"	005903	0,02	005912	0,01				
DN38	1 1/2"	005904	0,02	005913	0,02				
DN50	2"	005905	0,03	005914	0,02				
DN65	2 1/2"	005906	0,05	005915	0,03				
DN80	3"	005907	0,08	005916	0,05				
DN100	4"	005908	0,14	005917	0,08				



Materials available:

VITON	HS code 40169300
HYPALON	HS code 40169300
EDPM	HS code 40169300
NBR	HS code 40169300

Lipseals / Flat Seals

TANKWAGEN Lipseals & Flat Seals

TYPE	INCH	TORIC NBR	NBR BLUE		VITON BLACK		EPDM BLACK		CSM GREEN	
		BLACK	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
Lip Seals MK										
DN50	2"		005605	0,11	005615	0,14	005625	0,8	005635	0,9
DN80	3"		005607	0,23	005617	0,29	005627	0,18	005637	0,22
DN100	4"	005798		0,38					005799	0,29
Flat Seals MB										
DN50	2"		005705	0,8	005715	0,11	005735	0,9		
DN80	3"		005707	0,9	005717	0,22	005737	0,18		



Materials available:

SS316	HS code 73072910
MS C85700	HS code 74122000



Reducing nipple male X male

TANKWAGEN Reducing Nipple Male X Male

SIZE	SS316		MS					
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
3/8" X 1/2"	-		005001	-				
1/2" X 3/4"	005025	0,13	005002	0,05				
3/4" X 1"	005026	0,10	005003	0,13				
1/2" X 1"	005027	-	-					
1" X 1 1/4"	005028	0,20	005004	0,20				
1" X 1 1/2"	005029	0,25	-					
1 1/4" X 1 1/2"	005030	0,24	005005	0,22				
1 1/4" X 2"	005031	0,32	005006	0,41				
1 1/2" X 2"	005032	0,32	005007	0,35				
2" X 2 1/2"	005033	0,55	005008	0,69				
2" X 3"	005034	0,54	005009	0,73				
2 1/2" X 3"	005035	0,58	005010	0,59				
3" X 4"	005036	1,24	005011	1,05				




Materials available:

SS316

MS C85700

HS Code 73072910

HS code 74122000



Nipple Male x Male

TANKWAGEN Nipple Male X Male


SIZE	SS316		MS							
	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1/2"	005037	0,05	005012	0,04						
3/4"	005038	0,06	005013	0,06						
1"	005039	0,13	005014	0,14						
1 1/4"	005040	0,16	005015	0,17						
1 1/2"	005041	0,25	005016	0,23						
2"	005042	0,37	005017	0,32						
2 1/2"	005043	0,55	005018	0,56						
3"	005044	0,66	005019	0,64						
4"	005045	1,05	005020	1,03						



Materials available:

MS C85700

HS code 74122000



Reducing Nipple Male X Female

TANKWAGEN Reducing Nipple Male X Female

SIZE		MS							
Male	Female	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.	Ref.	Weight/Gr.
1 1/2"	2"	005046	0,35						
2"	1 1/2"	005047	0,23						
2"	2"	005048	-						
2"	2 1/2"	005049 *	0,42						
2"	3"	005050 *	1,17						
2 1/2"	2"	005051	0,52						
2 1/2"	2 1/2"	005052 *	-						
2 1/2"	3"	005053 *	0,72						
3"	2"	005054 *	0,41						
3"	2 1/2"	005055 *	0,57						
3"	3"	005056 *	-						
3"	4"	005057 *	1,08						
4"	3"	005058 *	0,97						


* NOT TOOL



Materials available:

MS C85700

HS code 74122000



Male / Female Gasoline

TANKWAGEN Female & Male for Gasoline Hose

TYPE		CMS							
		Ref.	Weight/Gr.						
Female for Gasoline Hose									
G 1"	15 X 5 MM	RAKF155	1,61						
G 1"	19 X 5 MM	RAKF195	1,96						
G 1"	25 X 5 MM	RAKF255	2,31						
Male for Gasoline Hose									
G 1"	15 X 5 MM	RAKM155	2,02						
G 1"	19 X 5 MM	RAKM195	2,68						
G 1"	25 X 5 MM	RAKM255	3,28						



Materials available:

RAK - 050 /080 automatic nozzles are designed to fulfil the needs of our clients. They are light and easy to use. Our nozzles are solid and offer a long life performance with a reliable service.

Materials:

Body: Aluminium
Stem: Stainless Steel
Seals: Buna-N / Viton / PU
Steam seals: Viton cased oil seal



Automatic Nozzle Reducciones

TANKWAGEN Automatic Nozzle RAK-050 / 080

Flow rate	Spout	Swivel	Ref.	Weight				
0-50L/min	Ø 21 MM	3/4" / 1" in BSP or NPT	RAK-050					
0-80L/min	Ø 25 MM	3/4" / 1" in BSP or NPT	RAK-080					



Materials available:

RAK-120 automatic nozzles are designed to fulfil the needs of our clients. Our heavy duty nozzles with their high flow (120L/min) are ideal for truck and bus fleet service. They are solid, light weight and easy to handle. Our nozzles offer a long life performance with a reliable service.

Materials:

Body: Aluminium
Stem: Stainless Steel
Seals: Buna-N / Viton / PU
Steam seals: Viton cased oil seal



Automatic Nozzle

TANKWAGEN Automatic Nozzle RAK-120

Flow rate	Spout	Swivel	Ref.	Weight				
0-120 L/Min	Ø 31 MM	1" in BSP (P) (T) or NPT	RAK-120					




Materials available:

ASN-060 automatic nozzles are designed to fulfil the needs of our clients. Our heavy duty nozzles with their high flow (120L/Min) are ideal for truck and bus fleet service. Our nozzles are solid, light weight and easy to handle. Our nozzles offer a long life performance with reliable service

Materials:

Body: Aluminium
Stem: Stainless Steel
Seals: Buna-N / Viton
Steam seals: Viton cased oil seal/Graphite with Teflon



Automatic NozzleReduccion

TANKWAGEN Automatic Nozzles ASN-060 / 120

Flow rate	Spout	Swivel	Ref.	Weight				
0-60L/min	Ø 24 MM	3/4" in BSP or NPT	ASN-060					
0-120L/min	Ø 33 MM	1" in BSP or NPT	ASN-120					